Test Bank for Linear Algebra and Its Applications 5th Lay

Access Complete Test Bank for Linear Algebra and Its Applications 5th Lay

MULTIPLE CHOICE. Choose the one alternative that best completes the statement or answers the question.

Perform the matrix operation.

1) Let $A = \begin{bmatrix} -3 & 1 \\ 0 & 2 \end{bmatrix}$. Find 5A.

A) $\begin{bmatrix} -15 & 5 \\ 0 & 10 \end{bmatrix}$ B) $\begin{bmatrix} -15 & 1 \\ 0 & 2 \end{bmatrix}$ C) $\begin{bmatrix} -15 & 5 \\ 0 & 2 \end{bmatrix}$ D) $\begin{bmatrix} 2 & 6 \\ 5 & 7 \end{bmatrix}$

Answer: A

2) Let $B = \begin{bmatrix} -1 & 1 & 7 & -3 \end{bmatrix}$. Find −4B.

A) $\begin{bmatrix} 4 & -4 & -28 & 12 \end{bmatrix}$ B) $\begin{bmatrix} -4 & 4 & 28 & -12 \end{bmatrix}$ C) $\begin{bmatrix} 4 & 1 & 7 & -3 \end{bmatrix}$ D) $\begin{bmatrix} -3 & -1 & 5 & -5 \end{bmatrix}$

Answer: A

3) Let $C = \begin{bmatrix} 6 \\ -2 \\ 10 \end{bmatrix}$. Find (1/2) C.

A) $\begin{bmatrix} 3 \\ -2 \\ 10 \end{bmatrix}$ B) $\begin{bmatrix} 6 \\ -1 \\ 10 \end{bmatrix}$ C) $\begin{bmatrix} 3 \\ -1 \\ 5 \end{bmatrix}$ D) $\begin{bmatrix} 12 \\ -4 \\ 20 \end{bmatrix}$

Answer: C

4) Let $A = \begin{bmatrix} 3 & 3 \\ 2 & 4 \end{bmatrix}$ and $B = \begin{bmatrix} 0 & 4 \\ -1 & 6 \end{bmatrix}$. Find 4A + B.

A) $\begin{bmatrix} 12 & 7 \\ 7 & 10 \end{bmatrix}$ B) $\begin{bmatrix} 12 & 16 \\ 7 & 22 \end{bmatrix}$ C) $\begin{bmatrix} 12 & 16 \\ 1 & 10 \end{bmatrix}$ D) $\begin{bmatrix} 12 & 28 \\ 4 & 40 \end{bmatrix}$

Answer: B

5) Let $C = \begin{bmatrix} 1 \\ -3 \\ 2 \end{bmatrix}$ and $D = \begin{bmatrix} -1 \\ 3 \\ -2 \end{bmatrix}$. Find C − 2D.

A) $\begin{bmatrix} -3 \\ 9 \\ -6 \end{bmatrix}$ B) $\begin{bmatrix} -1 \\ 3 \\ -2 \end{bmatrix}$ C) $\begin{bmatrix} 3 \\ -9 \\ 6 \end{bmatrix}$ D) $\begin{bmatrix} 3 \\ -6 \\ 4 \end{bmatrix}$

Answer: C

6) Let $A = \begin{bmatrix} -1 & 2 \end{bmatrix}$ and $B = \begin{bmatrix} 1 & 0 \end{bmatrix}$. Find 3A + 4B.

A) $\begin{bmatrix} 1 & 6 \end{bmatrix}$ B) $\begin{bmatrix} 2 & 2 \end{bmatrix}$ C) $\begin{bmatrix} -3 & 4 \end{bmatrix}$ D) $\begin{bmatrix} -1 & 4 \end{bmatrix}$

Answer: A

7) Let $A = \begin{bmatrix} 2 & -4 \\ -2 & -5 \\ 3 & 5 \end{bmatrix}$ and $B = \begin{bmatrix} 9 & -8 \\ -6 & -6 \\ -7 & -4 \end{bmatrix}$. Find A + B.

A) $\begin{bmatrix} -7 & 4 \\ 4 & 4 \\ 10 & -4 \end{bmatrix}$ B) $\begin{bmatrix} 11 & -12 \\ -8 & -11 \\ -4 & 1 \end{bmatrix}$ C) $\begin{bmatrix} 11 & -12 \\ 8 & -5 \\ -4 & -1 \end{bmatrix}$ D) $\begin{bmatrix} 11 & -5 \\ -8 & -11 \\ -4 & 1 \end{bmatrix}$

Answer: B

Access Complete Test Bank for Linear Algebra and Its Applications 5th Lay

8) Let $A = \begin{bmatrix} -2 & 3 \\ -7 & -2 \end{bmatrix}$ and $B = \begin{bmatrix} 2 & 10 \\ -7 & 6 \end{bmatrix}$. Find A – B.

A) $\begin{bmatrix} -4 & -7 \\ 0 & -8 \end{bmatrix}$

B) $\begin{bmatrix} 0 & 7 \\ -14 & 8 \end{bmatrix}$

C) $\begin{bmatrix} 4 & -7 \\ -14 & 4 \end{bmatrix}$

D) $\begin{bmatrix} 0 & -7 \\ 0 & -8 \end{bmatrix}$

Answer: A

9) Let $A = \begin{bmatrix} -3 & 2 \\ 3 & -5 \end{bmatrix}$ and $B = \begin{bmatrix} 0 & 0 \\ 0 & 0 \end{bmatrix}$. Find A + B.

A) $\begin{bmatrix} 0 & 0 \\ 0 & 0 \end{bmatrix}$

B) $\begin{bmatrix} -3 & 2 \\ 3 & -5 \end{bmatrix}$

C) $\begin{bmatrix} 3 & -2 \\ -3 & 5 \end{bmatrix}$

D) Undefined

Answer: B

Find the matrix product AB, if it is defined.

10) $A = \begin{bmatrix} -1 & 3 \\ 2 & 2 \end{bmatrix}$, $B = \begin{bmatrix} -2 & 0 \\ -1 & 2 \end{bmatrix}$.

A) $\begin{bmatrix} 6 & -1 \\ 4 & -6 \end{bmatrix}$

B) $\begin{bmatrix} 2 & 0 \\ -2 & 4 \end{bmatrix}$

C) $\begin{bmatrix} -1 & 6 \\ -6 & 4 \end{bmatrix}$

D) $\begin{bmatrix} 2 & -6 \\ -1 & 1 \end{bmatrix}$

Answer: C

11) $A = \begin{bmatrix} 0 & -3 \\ 4 & 3 \end{bmatrix}$, $B = \begin{bmatrix} -2 & 0 \\ -1 & 1 \end{bmatrix}$.

A) $\begin{bmatrix} 0 & 6 \\ -4 & 3 \end{bmatrix}$

B) $\begin{bmatrix} -3 & 3 \\ -5 & -11 \end{bmatrix}$

C) $\begin{bmatrix} 3 & -3 \\ -11 & 3 \end{bmatrix}$

D) $\begin{bmatrix} -8 & -6 \\ 4 & 6 \end{bmatrix}$

Answer: C

12) $A = \begin{bmatrix} 3 & -2 \\ 3 & 0 \end{bmatrix}$, $B = \begin{bmatrix} 0 & -2 \\ 4 & 6 \end{bmatrix}$.

A) $\begin{bmatrix} 0 & 4 \\ 12 & 0 \end{bmatrix}$

B) $\begin{bmatrix} -18 & -8 \\ -6 & 0 \end{bmatrix}$

C) $\begin{bmatrix} -8 & -18 \\ 0 & -6 \end{bmatrix}$

D) $\begin{bmatrix} -6 & 0 \\ 30 & -8 \end{bmatrix}$

Answer: C

13) $A = \begin{bmatrix} -1 & 3 \\ 1 & 6 \end{bmatrix}$, $B = \begin{bmatrix} 0 & -2 & 6 \\ 1 & -3 & 2 \end{bmatrix}$.

A) $\begin{bmatrix} 3 & 6 & -7 \\ -20 & 0 & 18 \end{bmatrix}$

B) $\begin{bmatrix} 3 & -7 & 0 \\ 6 & -20 & 18 \end{bmatrix}$

C) $\begin{bmatrix} 0 & -6 \\ 18 & 1 \\ -18 & 12 \end{bmatrix}$

D) AB is undefined.

Answer: B

Access Complete Test Bank for Linear Algebra and Its Applications 5th Lay

14) $A = \begin{bmatrix} 3 & -2 & 1 \\ 0 & 4 & -1 \end{bmatrix}$, $B = \begin{bmatrix} 4 & 0 \\ -2 & 2 \end{bmatrix}$.

A) $\begin{bmatrix} 12 & -8 & 4 \\ -6 & 12 & -4 \end{bmatrix}$

B) $\begin{bmatrix} 12 & 0 \\ 0 & 8 \end{bmatrix}$

C) AB is undefined.

D) $\begin{bmatrix} 12 & -6 \\ -8 & 12 \\ 4 & -4 \end{bmatrix}$

Answer: C

15) $A = \begin{bmatrix} 0 & -2 \\ 4 & 3 \end{bmatrix}$, $B = \begin{bmatrix} -1 & 3 & 2 \\ 0 & -3 & 1 \end{bmatrix}$.

A) AB is undefined.

B) $\begin{bmatrix} 0 & 6 & -2 \\ -4 & 3 & 11 \end{bmatrix}$

C) $\begin{bmatrix} 0 & -6 & -8 \\ 0 & -9 & 3 \end{bmatrix}$

D) $\begin{bmatrix} 0 & -4 & 6 \\ 3 & -2 & 11 \end{bmatrix}$

Answer: B

16) $A = \begin{bmatrix} 1 & 3 & -1 \\ 3 & 0 & 5 \end{bmatrix}$, $B = \begin{bmatrix} 3 & 0 \\ -1 & 1 \\ 0 & 5 \end{bmatrix}$.

A) AB is undefined.

B) $\begin{bmatrix} -2 & 0 \\ 25 & 9 \end{bmatrix}$

C) $\begin{bmatrix} 3 & -3 & 0 \\ 0 & 0 & 25 \end{bmatrix}$

D) $\begin{bmatrix} 0 & -2 \\ 9 & 25 \end{bmatrix}$

Answer: D

17) $A = \begin{bmatrix} 1 & 0 \\ 0 & 2 \end{bmatrix}$, $B = \begin{bmatrix} 1 & 2 & -2 \\ 2 & -2 & 2 \end{bmatrix}$.

A) $\begin{bmatrix} 1 & 2 & -2 \\ 4 & -4 & 4 \end{bmatrix}$

B) AB is undefined.

C) $\begin{bmatrix} 1 & 0 & 0 \\ 0 & -4 & 4 \end{bmatrix}$

D) $\begin{bmatrix} 4 & -4 & 4 \\ 1 & 2 & -2 \end{bmatrix}$

Answer: A

The sizes of two matrices A and B are given. Find the sizes of the product AB and the product BA, if the products are defined.

18) A is 4 × 4, B is 4 × 4.

A) AB is 8 × 4, BA is 8 × 4.
B) AB is 4 × 4, BA is 4 × 4.
C) AB is 4 × 8, BA is 4 × 8.
D) AB is 1 × 1, BA is 1 × 1.

Answer: B

19) A is 2 × 1, B is 1 × 1.

A) AB is 2 × 1, BA is undefined.
B) AB is undefined, BA is 1× 2.
C) AB is 1 × 2, BA is 1 × 1.
D) AB is 2 × 2, BA is 1 × 1.

Answer: A

20) A is 1 × 4, B is 4 × 1.

A) AB is 1 × 1, BA is 4 × 4.
B) AB is 4 × 4, BA is 1 × 1.
C) AB is 1 × 1, BA is undefined.
D) AB is undefined, BA is 4 × 4.

Answer: A

Access Complete Test Bank for Linear Algebra and Its Applications 5th Lay

21) A is 2 × 4, B is 2 × 4.

A) AB is undefined, BA is undefined.
B) AB is 2 × 4, BA is 4 × 2.
C) AB is 4 × 2, BA is 2 × 4.
D) AB is 2 × 2, BA is 4 × 4.

Answer: A

Find the transpose of the matrix.

22) $\begin{bmatrix} 8 & 4 \\ -4 & 0 \\ -7 & 7 \end{bmatrix}$

A) $\begin{bmatrix} 8 & -4 & -7 \\ 4 & 0 & 7 \end{bmatrix}$
B) $\begin{bmatrix} 4 & 0 & 7 \\ 8 & -4 & -7 \end{bmatrix}$
C) $\begin{bmatrix} -7 & 7 \\ -4 & 0 \\ 8 & 4 \end{bmatrix}$
D) $\begin{bmatrix} 4 & 8 \\ 0 & -4 \\ 7 & -7 \end{bmatrix}$

Answer: A

23) $\begin{bmatrix} 7 & 4 & 7 & 4 \\ 0 & -7 & 0 & -7 \end{bmatrix}$

A) $\begin{bmatrix} 4 & 7 & 4 & 7 \\ -7 & 0 & -7 & 0 \end{bmatrix}$
B) $\begin{bmatrix} 7 & 0 \\ 4 & -7 \\ 7 & 0 \\ 4 & -7 \end{bmatrix}$
C) $\begin{bmatrix} 0 & 7 \\ -7 & 4 \\ 0 & 7 \\ -7 & 4 \end{bmatrix}$
D) $\begin{bmatrix} 0 & -7 & 0 & -7 \\ 7 & 4 & 7 & 4 \end{bmatrix}$

Answer: B

Decide whether or not the matrices are inverses of each other.

24) $\begin{bmatrix} 5 & 3 \\ 3 & 2 \end{bmatrix}$ and $\begin{bmatrix} 2 & -3 \\ -3 & 5 \end{bmatrix}$

A) No
B) Yes

Answer: B

25) $\begin{bmatrix} 10 & 1 \\ -1 & 0 \end{bmatrix}$ and $\begin{bmatrix} 0 & 1 \\ -1 & 10 \end{bmatrix}$

A) No
B) Yes

Answer: A

26) $\begin{bmatrix} -2 & 4 \\ 4 & -4 \end{bmatrix}$ and $\begin{bmatrix} \frac{1}{2} & \frac{1}{4} \\ \frac{1}{2} & \frac{1}{4} \end{bmatrix}$

A) Yes
B) No

Answer: B

27) $\begin{bmatrix} -5 & 1 \\ -7 & 1 \end{bmatrix}$ and $\begin{bmatrix} \frac{1}{2} & -\frac{1}{2} \\ \frac{7}{2} & -\frac{5}{2} \end{bmatrix}$

A) No
B) Yes

Answer: B

Access Complete Test Bank for Linear Algebra and Its Applications 5th Lay

28) $\begin{bmatrix} 6 & -5 \\ -3 & 5 \end{bmatrix}$ and $\begin{bmatrix} \frac{1}{3} & \frac{1}{3} \\ \frac{1}{5} & \frac{2}{5} \end{bmatrix}$

A) No B) Yes

Answer: B

29) $\begin{bmatrix} 9 & 4 \\ 4 & 4 \end{bmatrix}$ and $\begin{bmatrix} -0.2 & 0.2 \\ 0.2 & -0.45 \end{bmatrix}$

A) Yes B) No

Answer: B

30) $\begin{bmatrix} 9 & -2 \\ 7 & -2 \end{bmatrix}$ and $\begin{bmatrix} 0.5 & 0.5 \\ -\frac{7}{4} & -\frac{9}{4} \end{bmatrix}$

A) No B) Yes

Answer: A

31) $\begin{bmatrix} -5 & -1 \\ 6 & 0 \end{bmatrix}$ and $\begin{bmatrix} 0 & \frac{1}{6} \\ -1 & \frac{5}{6} \end{bmatrix}$

A) Yes B) No

Answer: B

32) $\begin{bmatrix} 2 & -1 & 0 \\ -1 & 1 & -2 \\ 1 & 0 & -1 \end{bmatrix}$ and $\begin{bmatrix} 1 & -1 & 2 \\ -3 & -2 & 4 \\ -1 & 1 & 1 \end{bmatrix}$

A) No B) Yes

Answer: A

Find the inverse of the matrix, if it exists.

33) $A = \begin{bmatrix} -3 & -4 \\ 3 & -4 \end{bmatrix}$

A) $\begin{bmatrix} -\frac{1}{8} & \frac{1}{6} \\ -\frac{1}{8} & -\frac{1}{6} \end{bmatrix}$ B) $\begin{bmatrix} -\frac{1}{6} & -\frac{1}{6} \\ \frac{1}{8} & -\frac{1}{8} \end{bmatrix}$ C) $\begin{bmatrix} -\frac{1}{8} & -\frac{1}{8} \\ -\frac{1}{6} & \frac{1}{6} \end{bmatrix}$ D) $\begin{bmatrix} -\frac{1}{6} & \frac{1}{6} \\ -\frac{1}{8} & -\frac{1}{8} \end{bmatrix}$

Answer: D

34) $A = \begin{bmatrix} 0 & -5 \\ 6 & 3 \end{bmatrix}$

A) $\begin{bmatrix} 0 & \frac{1}{6} \\ -\frac{1}{5} & \frac{1}{10} \end{bmatrix}$ B) $\begin{bmatrix} \frac{1}{10} & -\frac{1}{6} \\ \frac{1}{5} & 0 \end{bmatrix}$ C) $\begin{bmatrix} -\frac{1}{5} & 0 \\ \frac{1}{10} & \frac{1}{6} \end{bmatrix}$ D) $\begin{bmatrix} \frac{1}{10} & \frac{1}{6} \\ -\frac{1}{5} & 0 \end{bmatrix}$

Answer: D

Access Complete Test Bank for Linear Algebra and Its Applications 5th Lay

35) $A = \begin{bmatrix} 5 & 0 \\ -4 & -6 \end{bmatrix}$

A) $\begin{bmatrix} \frac{1}{5} & 0 \\ -\frac{2}{15} & -\frac{1}{6} \end{bmatrix}$

B) A is not invertible

C) $\begin{bmatrix} \frac{1}{5} & 0 \\ \frac{2}{15} & -\frac{1}{6} \end{bmatrix}$

D) $\begin{bmatrix} -\frac{1}{6} & 0 \\ -\frac{2}{15} & \frac{1}{5} \end{bmatrix}$

Answer: A

36) $A = \begin{bmatrix} -5 & -5 \\ 2 & 2 \end{bmatrix}$

A) $\begin{bmatrix} \frac{2}{21} & \frac{5}{21} \\ -\frac{2}{21} & -\frac{5}{21} \end{bmatrix}$

B) A is not invertible

C) $\begin{bmatrix} -\frac{2}{21} & -\frac{5}{21} \\ \frac{2}{21} & \frac{5}{21} \end{bmatrix}$

D) $\begin{bmatrix} \frac{2}{21} & -\frac{5}{21} \\ \frac{2}{21} & -\frac{5}{21} \end{bmatrix}$

Answer: B

37) $A = \begin{bmatrix} 1 & 4 \\ 0 & -6 \end{bmatrix}$

A) $\begin{bmatrix} 0 & -\frac{1}{6} \\ 1 & \frac{2}{3} \end{bmatrix}$

B) $\begin{bmatrix} 1 & -\frac{2}{3} \\ 0 & -\frac{1}{6} \end{bmatrix}$

C) $\begin{bmatrix} 1 & \frac{2}{3} \\ 0 & -\frac{1}{6} \end{bmatrix}$

D) $\begin{bmatrix} -\frac{1}{6} & \frac{2}{3} \\ 0 & 1 \end{bmatrix}$

Answer: C

38) $A = \begin{bmatrix} 6 & 3 \\ 3 & 0 \end{bmatrix}$

A) $\begin{bmatrix} 0 & \frac{1}{3} \\ \frac{1}{3} & -\frac{2}{3} \end{bmatrix}$

B) $\begin{bmatrix} -\frac{2}{3} & \frac{1}{3} \\ \frac{1}{3} & 0 \end{bmatrix}$

C) $\begin{bmatrix} \frac{1}{3} & -\frac{2}{3} \\ 0 & \frac{1}{3} \end{bmatrix}$

D) $\begin{bmatrix} 0 & -\frac{1}{3} \\ -\frac{1}{3} & -\frac{2}{3} \end{bmatrix}$

Answer: A

39) $\begin{bmatrix} 1 & 0 & 0 \\ -1 & 1 & 0 \\ 1 & 1 & 1 \end{bmatrix}$

A) $\begin{bmatrix} 1 & -1 & 1 \\ 0 & 1 & -1 \\ 0 & 0 & 1 \end{bmatrix}$

B) $\begin{bmatrix} 1 & 1 & 1 \\ 0 & 1 & 1 \\ 0 & 0 & 1 \end{bmatrix}$

C) $\begin{bmatrix} 1 & 0 & 0 \\ 1 & 1 & 0 \\ -2 & -1 & 1 \end{bmatrix}$

D) $\begin{bmatrix} -1 & 0 & 0 \\ -1 & -1 & 0 \\ -1 & -1 & -1 \end{bmatrix}$

Answer: C

Access Complete Test Bank for Linear Algebra and Its Applications 5th Lay

Solve the system by using the inverse of the coefficient matrix.

40) $6x_1 + 5x_2 = 13$
$5x_1 + 3x_2 = 5$

A) (–2, 5) B) No solution C) (–2, –5) D) (5, –2)

Answer: A

41) $6x_1 + 3x_2 = 0$
$2x_1 \quad = -6$

A) (6, –3) B) (–3, 6) C) No solution D) (–3, –6)

Answer: B

42) $-3x_1 - 2x_2 = 2$
$6x_1 + 4x_2 = 8$

A) (–2, –2) B) $\left(-\frac{2}{3} + \frac{3}{2}x_2, x_2\right)$ C) No solution D) (2, 8)

Answer: C

43) $2x_1 + 6x_2 = 2$
$2x_1 - x_2 = -5$

A) (–1, 2) B) (2, –1) C) (–2, 1) D) (1, –2)

Answer: C

44) $2x_1 - 6x_2 = -6$
$3x_1 + 2x_2 = 13$

A) (–3, –2) B) (–2, –3) C) (3, 2) D) (2, 3)

Answer: C

45) $10x_1 - 4x_2 = -6$
$6x_1 - x_2 = 2$

A) (–4, –1) B) (1, 4) C) (4, 1) D) (–1, –4)

Answer: B

46) $2x_1 - 4x_2 = -2$
$3x_1 + 4x_2 = -23$

A) (–2, 5) B) (2, 5) C) (–5, –2) D) (5, 2)

Answer: C

47) $-5x_1 + 3x_2 = 8$
$-2x_1 + 4x_2 = 20$

A) (2, 6) B) (–6, –2) C) (–2, –6) D) (6, 2)

Answer: A

Access Complete Test Bank for Linear Algebra and Its Applications 5th Lay

Find the inverse of the matrix A, if it exists.

48) $A = \begin{bmatrix} 5 & -1 & 5 \\ 5 & 0 & 3 \\ 10 & -1 & 8 \end{bmatrix}$

A) $A^{-1} = \begin{bmatrix} 5 & 5 & 10 \\ -1 & 0 & -1 \\ 5 & 3 & 8 \end{bmatrix}$

B) A^{-1} does not exist.

C) $A^{-1} = \begin{bmatrix} 1 & 0 & \frac{3}{5} \\ 0 & 1 & -2 \\ 0 & 0 & 0 \end{bmatrix}$

D) $A^{-1} = \begin{bmatrix} 1 & 0 & \frac{3}{5} \\ 0 & 1 & -2 \\ 0 & \frac{4}{5} & 0 \end{bmatrix}$

Answer: B

49) $A = \begin{bmatrix} 1 & 1 & 1 \\ 2 & 1 & 1 \\ 2 & 2 & 3 \end{bmatrix}$

A) $A^{-1} = \begin{bmatrix} -1 & -1 & -1 \\ -2 & -1 & -1 \\ -2 & -2 & -3 \end{bmatrix}$

B) $A^{-1} = \begin{bmatrix} -1 & 1 & 0 \\ 4 & -1 & -1 \\ -2 & 0 & 1 \end{bmatrix}$

C) A^{-1} does not exist.

D) $A^{-1} = \begin{bmatrix} 1 & 1 & 1 \\ \frac{1}{2} & 1 & 1 \\ \frac{1}{2} & \frac{1}{2} & \frac{1}{3} \end{bmatrix}$

Answer: B

50) $A = \begin{bmatrix} 1 & 3 & 2 \\ 1 & 3 & 3 \\ 2 & 7 & 8 \end{bmatrix}$

A) $A^{-1} = \begin{bmatrix} 1 & \frac{1}{3} & \frac{1}{2} \\ 1 & \frac{1}{3} & \frac{1}{3} \\ \frac{1}{2} & \frac{1}{7} & \frac{1}{8} \end{bmatrix}$

B) $A^{-1} = \begin{bmatrix} -3 & 10 & -3 \\ 2 & -4 & 1 \\ -1 & 1 & 0 \end{bmatrix}$

C) $A^{-1} = \begin{bmatrix} -1 & -3 & -2 \\ -1 & -3 & -3 \\ -2 & -7 & -8 \end{bmatrix}$

D) A^{-1} does not exist.

Answer: B

Access Complete Test Bank for Linear Algebra and Its Applications 5th Lay

51) $A = \begin{bmatrix} 1 & 0 & 8 \\ 1 & 2 & 3 \\ 2 & 5 & 3 \end{bmatrix}$

A) $A^{-1} = \begin{bmatrix} -1 & 0 & -8 \\ -1 & -2 & -3 \\ -2 & -5 & -3 \end{bmatrix}$

B) $A^{-1} = \begin{bmatrix} 1 & 1 & 2 \\ 0 & 2 & 5 \\ 8 & 3 & 3 \end{bmatrix}$

C) A^{-1} does not exist.

D) $A^{-1} = \begin{bmatrix} 9 & -40 & 16 \\ -3 & 13 & -5 \\ -1 & 5 & -2 \end{bmatrix}$

Answer: D

52) $A = \begin{bmatrix} 8 & -4 & 2 \\ 11 & -7 & 4 \\ 3 & -3 & 2 \end{bmatrix}$

A) $A^{-1} = \begin{bmatrix} 8 & 11 & 3 \\ -4 & -7 & -3 \\ 2 & 4 & 2 \end{bmatrix}$

B) A^{-1} does not exist.

C) $A^{-1} = \begin{bmatrix} \frac{2}{11} & \frac{2}{11} & -2 \\ \frac{3}{11} & \frac{8}{7} & 2 \\ \frac{8}{3} & -\frac{2}{3} & \frac{1}{2} \end{bmatrix}$

D) $A^{-1} = \begin{bmatrix} \frac{1}{8} & \frac{1}{11} & \frac{1}{2} \\ \frac{1}{11} & -\frac{1}{7} & \frac{1}{4} \\ \frac{1}{3} & -\frac{1}{3} & \frac{1}{2} \end{bmatrix}$

Answer: B

53) $A = \begin{bmatrix} 0 & 3 & 3 \\ -1 & 0 & 4 \\ 0 & 7 & 0 \end{bmatrix}$

A) A^{-1} does not exist.

B) $A^{-1} = \begin{bmatrix} \frac{4}{3} & 0 & \frac{1}{3} \\ -1 & 0 & 0 \\ -\frac{4}{7} & \frac{1}{7} & -\frac{1}{7} \end{bmatrix}$

C) $A^{-1} = \begin{bmatrix} -\frac{4}{3} & -1 & -\frac{4}{7} \\ -\frac{1}{7} & 0 & \frac{1}{7} \\ \frac{1}{3} & 0 & 0 \end{bmatrix}$

D) $A^{-1} = \begin{bmatrix} \frac{4}{3} & -1 & -\frac{4}{7} \\ 0 & 0 & \frac{1}{7} \\ \frac{1}{3} & 0 & -\frac{1}{7} \end{bmatrix}$

Answer: D

Access Complete Test Bank for Linear Algebra and Its Applications 5th Lay

Determine whether the matrix is invertible.

54) $\begin{bmatrix} 2 & 9 \\ 1 & 14 \end{bmatrix}$

A) No B) Yes

Answer: B

55) $\begin{bmatrix} 9 & 5 & -9 \\ 4 & 2 & -4 \\ -3 & 0 & 3 \end{bmatrix}$

A) No B) Yes

Answer: A

Identify the indicated submatrix.

56) $A = \left[\begin{array}{ccc|c} 0 & 1 & -4 & -5 \\ 4 & -1 & 0 & 7 \\ \hline 2 & 5 & -7 & 0 \end{array}\right]$. Find A_{12}.

A) $\begin{bmatrix} 4 \end{bmatrix}$ B) $\begin{bmatrix} -5 \\ 7 \end{bmatrix}$ C) 1 D) $\begin{bmatrix} 2 & 5 & -7 \end{bmatrix}$

Answer: B

57) $A = \left[\begin{array}{cc|c} 2 & 6 & 1 \\ -2 & 0 & -1 \\ 0 & 3 & -6 \\ \hline 3 & 6 & 3 \end{array}\right]$. Find A_{21}.

A) $\begin{bmatrix} 1 \\ -1 \\ -6 \end{bmatrix}$ B) $\begin{bmatrix} -2 \end{bmatrix}$ C) $\begin{bmatrix} 6 \end{bmatrix}$ D) $\begin{bmatrix} 3 & 6 \end{bmatrix}$

Answer: D

Find the matrix product AB for the partitioned matrices.

58) $A = \left[\begin{array}{cc|c} 4 & 0 & 1 \\ 2 & -1 & -3 \\ \hline 5 & 3 & 7 \end{array}\right]$, $B = \left[\begin{array}{ccc|c} -2 & 0 & 8 & 5 \\ 1 & 6 & 2 & 2 \\ \hline 4 & -1 & 0 & 3 \end{array}\right]$

A) $\left[\begin{array}{ccc|c} -4 & -1 & 32 & 23 \\ -17 & -3 & 14 & -1 \\ \hline 21 & 11 & 46 & 52 \end{array}\right]$

B) $\left[\begin{array}{ccc|c} -8 & 0 & 32 & 20 \\ -5 & -6 & 14 & 8 \\ -7 & 18 & 46 & 31 \end{array}\right]$

C) $\left[\begin{array}{ccc|c} -4 & -1 & 0 & 3 \\ -12 & -3 & 0 & -9 \\ \hline 28 & -7 & 0 & 21 \end{array}\right]$

D) $\left[\begin{array}{ccc|c} -4 & -1 & 32 & 23 \\ -17 & -3 & 14 & -1 \\ 21 & 11 & 46 & 52 \end{array}\right]$

Answer: D

Access Complete Test Bank for Linear Algebra and Its Applications 5th Lay

59) $A = \begin{bmatrix} 0 & I \\ I & F \end{bmatrix}, B = \begin{bmatrix} W & X \\ Y & Z \end{bmatrix}$

A) $\begin{bmatrix} Y & Z \\ W + YF & X + ZF \end{bmatrix}$ B) $\begin{bmatrix} X & W + XF \\ Z & Y + ZF \end{bmatrix}$ C) $\begin{bmatrix} 0 & Z \\ FY & FZ \end{bmatrix}$ D) $\begin{bmatrix} Y & Z \\ W + FY & X + FZ \end{bmatrix}$

Answer: D

Solve the equation Ax = b by using the LU factorization given for A.

60) $A = \begin{bmatrix} 3 & -1 & 2 \\ -6 & 4 & -5 \\ 9 & 5 & 6 \end{bmatrix}, \mathbf{b} = \begin{bmatrix} 6 \\ -3 \\ 2 \end{bmatrix}$

$A = \begin{bmatrix} 1 & 0 & 0 \\ -2 & 1 & 0 \\ 3 & 4 & 1 \end{bmatrix} \begin{bmatrix} 3 & -1 & 2 \\ 0 & 2 & -1 \\ 0 & 0 & 4 \end{bmatrix}$

A) $\mathbf{x} = \begin{bmatrix} 22 \\ -7 \\ 15 \end{bmatrix}$ B) $\mathbf{x} = \begin{bmatrix} 25 \\ -58 \\ 51 \end{bmatrix}$ C) $\mathbf{x} = \begin{bmatrix} 49 \\ -38 \\ 32 \end{bmatrix}$ D) $\mathbf{x} = \begin{bmatrix} 10 \\ -2 \\ -13 \end{bmatrix}$

Answer: D

61) $A = \begin{bmatrix} 1 & 2 & 4 & 3 \\ -1 & -3 & -1 & -4 \\ 2 & 1 & 19 & 3 \\ 1 & 5 & -9 & 7 \end{bmatrix}, \mathbf{b} = \begin{bmatrix} 2 \\ 0 \\ 4 \\ 3 \end{bmatrix}$

$A = \begin{bmatrix} 1 & 0 & 0 & 0 \\ -1 & 1 & 0 & 0 \\ 2 & 3 & 1 & 0 \\ 1 & -3 & -2 & 1 \end{bmatrix} \begin{bmatrix} 1 & 2 & 4 & 3 \\ 0 & -1 & 3 & -1 \\ 0 & 0 & 2 & 0 \\ 0 & 0 & 0 & 1 \end{bmatrix}$

A) $\mathbf{x} = \begin{bmatrix} 27 \\ 9 \\ 8 \\ -3 \end{bmatrix}$ B) $\mathbf{x} = \begin{bmatrix} 27 \\ -18 \\ 89 \\ -13 \end{bmatrix}$ C) $\mathbf{x} = \begin{bmatrix} 2 \\ -2 \\ 8 \\ -3 \end{bmatrix}$ D) $\mathbf{x} = \begin{bmatrix} 41 \\ -6 \\ -3 \\ -5 \end{bmatrix}$

Answer: D

Find an LU factorization of the matrix A.

62) $A = \begin{bmatrix} 4 & -1 \\ -24 & 9 \end{bmatrix}$

A) $A = \begin{bmatrix} 1 & 0 \\ -6 & 1 \end{bmatrix} \begin{bmatrix} 4 & -1 \\ 0 & 3 \end{bmatrix}$ B) $A = \begin{bmatrix} 1 & 0 \\ 4 & 1 \end{bmatrix} \begin{bmatrix} -6 & -1 \\ 0 & 3 \end{bmatrix}$

C) $A = \begin{bmatrix} 1 & 0 \\ -6 & 1 \end{bmatrix} \begin{bmatrix} 4 & 1 \\ 0 & -3 \end{bmatrix}$ D) $A = \begin{bmatrix} 1 & 0 \\ 6 & 1 \end{bmatrix} \begin{bmatrix} -4 & -1 \\ 0 & -3 \end{bmatrix}$

Answer: A

Access Complete Test Bank for Linear Algebra and Its Applications 5th Lay

63) $A = \begin{bmatrix} 2 & 3 & 5 \\ 4 & 9 & 5 \\ 4 & -3 & 24 \end{bmatrix}$

A) $A = \begin{bmatrix} 1 & 0 & 0 \\ 4 & 1 & 0 \\ 4 & -3 & 1 \end{bmatrix} \begin{bmatrix} 2 & 3 & 5 \\ 0 & 3 & -5 \\ 0 & 0 & -1 \end{bmatrix}$

B) $A = \begin{bmatrix} 1 & 0 & 0 \\ 4 & 1 & 0 \\ 4 & -3 & 1 \end{bmatrix} \begin{bmatrix} 2 & 3 & 5 \\ 0 & 9 & 5 \\ 0 & 0 & 24 \end{bmatrix}$

C) $A = \begin{bmatrix} 1 & 0 & 0 \\ 2 & 1 & 0 \\ 2 & -3 & 1 \end{bmatrix} \begin{bmatrix} 3 & 3 & 5 \\ 0 & -3 & 5 \\ 0 & 0 & 1 \end{bmatrix}$

D) $A = \begin{bmatrix} 1 & 0 & 0 \\ 2 & 1 & 0 \\ 2 & -3 & 1 \end{bmatrix} \begin{bmatrix} 2 & 3 & 5 \\ 0 & 3 & -5 \\ 0 & 0 & -1 \end{bmatrix}$

Answer: D

Determine the production vector x that will satisfy demand in an economy with the given consumption matrix C and final demand vector d. Round production levels to the nearest whole number.

64) $C = \begin{bmatrix} .4 & .3 \\ .1 & .6 \end{bmatrix}$, $\mathbf{d} = \begin{bmatrix} 52 \\ 74 \end{bmatrix}$

A) $\mathbf{x} = \begin{bmatrix} 205 \\ 236 \end{bmatrix}$ B) $\mathbf{x} = \begin{bmatrix} 4 \\ 24 \end{bmatrix}$ C) $\mathbf{x} = \begin{bmatrix} 43 \\ 4 \end{bmatrix}$ D) $\mathbf{x} = \begin{bmatrix} 43 \\ 50 \end{bmatrix}$

Answer: A

65) $C = \begin{bmatrix} .2 & .1 & .1 \\ .3 & .2 & .3 \\ .4 & .1 & .3 \end{bmatrix}$, $\mathbf{d} = \begin{bmatrix} 213 \\ 323 \\ 298 \end{bmatrix}$

A) $\mathbf{x} = \begin{bmatrix} 108 \\ 105 \\ 91 \end{bmatrix}$ B) $\mathbf{x} = \begin{bmatrix} 482 \\ 895 \\ 829 \end{bmatrix}$ C) $\mathbf{x} = \begin{bmatrix} 105 \\ 218 \\ 207 \end{bmatrix}$ D) $\mathbf{x} = \begin{bmatrix} 728 \\ 978 \\ -302 \end{bmatrix}$

Answer: B

Solve the problem.

66) Compute the matrix of the transformation that performs the shear transformation $\mathbf{x} \to A\mathbf{x}$ for $A = \begin{bmatrix} 1 & 0.20 \\ 0 & 1 \end{bmatrix}$ and then scales all x–coordinates by a factor of 0.61.

A) $\begin{bmatrix} 1.61 & 0.20 \\ 0 & 2 \end{bmatrix}$ B) $\begin{bmatrix} 1 & 0.20 \\ 0 & 0.61 \end{bmatrix}$ C) $\begin{bmatrix} 0.61 & 0.20 \\ 0 & 1 \end{bmatrix}$ D) $\begin{bmatrix} 0.61 & 0.122 \\ 0 & 1 \end{bmatrix}$

Answer: D

67) Compute the matrix of the transformation that performs the shear transformation $\mathbf{x} \to A\mathbf{x}$ for $A = \begin{bmatrix} 1 & 0.25 \\ 0 & 1 \end{bmatrix}$ and then scales all y–coordinates by a factor of 0.68.

A) $\begin{bmatrix} 1 & 0.17 \\ 0 & 0.68 \end{bmatrix}$ B) $\begin{bmatrix} 2 & 0.25 \\ 0 & 1.68 \end{bmatrix}$ C) $\begin{bmatrix} 0.68 & 0.17 \\ 0 & 1 \end{bmatrix}$ D) $\begin{bmatrix} 1 & 0.25 \\ 0 & 0.68 \end{bmatrix}$

Answer: D

Access Complete Test Bank for Linear Algebra and Its Applications 5th Lay

Find the 3 × 3 matrix that produces the described transformation, using homogeneous coordinates.

68) $(x, y) \rightarrow (x + 7, y + 4)$

A) $\begin{bmatrix} 1 & 0 & 4 \\ 0 & 1 & 7 \\ 0 & 0 & 1 \end{bmatrix}$ B) $\begin{bmatrix} 1 & 0 & 7 \\ 0 & 1 & 4 \\ 0 & 0 & 0 \end{bmatrix}$ C) $\begin{bmatrix} 1 & 0 & 7 \\ 0 & 1 & 4 \\ 0 & 0 & 1 \end{bmatrix}$ D) $\begin{bmatrix} 7 & 0 & 0 \\ 0 & 4 & 0 \\ 0 & 0 & 1 \end{bmatrix}$

Answer: C

69) Reflect through the x–axis

A) $\begin{bmatrix} 1 & 0 & 0 \\ 0 & -1 & 0 \\ 0 & 0 & 1 \end{bmatrix}$ B) $\begin{bmatrix} -1 & 0 & 0 \\ 0 & 1 & 0 \\ 0 & 0 & 1 \end{bmatrix}$ C) $\begin{bmatrix} -1 & 0 & 0 \\ 0 & -1 & 0 \\ 0 & 0 & 1 \end{bmatrix}$ D) $\begin{bmatrix} 1 & 0 & 0 \\ 0 & 1 & 0 \\ 0 & 0 & 1 \end{bmatrix}$

Answer: A

Find the 3 × 3 matrix that produces the described composite 2D transformation, using homogeneous coordinates.

70) Rotate points through 45° and then scale the x–coordinate by 0.6 and the y–coordinate by 0.8.

A) $\begin{bmatrix} 0.3\sqrt{2} & 0.3\sqrt{2} & 0 \\ -0.4\sqrt{2} & 0.4\sqrt{2} & 0 \\ 0 & 0 & 1 \end{bmatrix}$ B) $\begin{bmatrix} 0.3 & -0.4\sqrt{2} & 0 \\ 0.3\sqrt{2} & 0.4 & 0 \\ 0 & 0 & 1 \end{bmatrix}$

C) $\begin{bmatrix} 0 & -0.6 & 0 \\ 0.8 & 0 & 0 \\ 0 & 0 & 1 \end{bmatrix}$ D) $\begin{bmatrix} 0.3\sqrt{2} & -0.3\sqrt{2} & 0 \\ 0.4\sqrt{2} & 0.4\sqrt{2} & 0 \\ 0 & 0 & 1 \end{bmatrix}$

Answer: D

71) Translate by (8, 6), and then reflect through the line $y = x$.

A) $\begin{bmatrix} 0 & 1 & 8 \\ 1 & 0 & 6 \\ 0 & 0 & 1 \end{bmatrix}$ B) $\begin{bmatrix} 0 & 1 & 6 \\ 1 & 0 & 8 \\ 0 & 0 & 1 \end{bmatrix}$ C) $\begin{bmatrix} 0 & 6 & 1 \\ 8 & 0 & 0 \\ 0 & 0 & 1 \end{bmatrix}$ D) $\begin{bmatrix} -1 & 0 & -8 \\ 0 & -1 & -6 \\ 0 & 0 & 1 \end{bmatrix}$

Answer: B

Find the 4 × 4 matrix that produces the described transformation, using homogeneous coordinates.

72) Translation by the vector (4, –6, –3)

A) $\begin{bmatrix} 4 & 0 & 0 & 0 \\ 0 & -6 & 0 & 0 \\ 0 & 0 & -3 & 0 \\ 0 & 0 & 0 & 1 \end{bmatrix}$ B) $\begin{bmatrix} 1 & 0 & 0 & 4 \\ 0 & 1 & 0 & -6 \\ 0 & 0 & 1 & -3 \\ 0 & 0 & 0 & 1 \end{bmatrix}$ C) $\begin{bmatrix} 0 & 0 & 0 & 4 \\ 0 & 0 & 0 & -6 \\ 0 & 0 & 0 & -3 \\ 0 & 0 & 0 & 1 \end{bmatrix}$ D) $\begin{bmatrix} 1 & 0 & 0 & -4 \\ 0 & 1 & 0 & 6 \\ 0 & 0 & 1 & 3 \\ 0 & 0 & 0 & 1 \end{bmatrix}$

Answer: B

Access Complete Test Bank for Linear Algebra and Its Applications 5th Lay

73) Rotation about the y–axis through an angle of 60°

A) $\begin{bmatrix} 0.5 & 0 & \sqrt{3}/2 & 0 \\ 0 & 1 & 0 & 0 \\ -\sqrt{3}/2 & 0 & 0.5 & 0 \\ 0 & 0 & 0 & 1 \end{bmatrix}$

B) $\begin{bmatrix} 1 & 0 & 0 & 0 \\ 0 & 0.5 & \sqrt{3}/2 & 0 \\ 0 & -\sqrt{3}/2 & 0.5 & 0 \\ 0 & 0 & 0 & 1 \end{bmatrix}$

C) $\begin{bmatrix} 0.5 & \sqrt{3}/2 & 0 & 0 \\ -\sqrt{3}/2 & 0.5 & 0 & 0 \\ 0 & 0 & 1 & 0 \\ 0 & 0 & 0 & 1 \end{bmatrix}$

D) $\begin{bmatrix} \sqrt{3}/2 & 0 & 0.5 & 0 \\ 0 & 1 & 0 & 0 \\ -0.5 & 0 & \sqrt{3}/2 & 0 \\ 0 & 0 & 0 & 1 \end{bmatrix}$

Answer: A

Determine whether b is in the column space of A.

74) $A = \begin{bmatrix} 1 & 2 & -3 \\ 1 & 4 & -6 \\ -3 & -2 & 5 \end{bmatrix}, \mathbf{b} = \begin{bmatrix} 1 \\ -2 \\ -3 \end{bmatrix}$

A) No

B) Yes

Answer: B

75) $A = \begin{bmatrix} -1 & 0 & 2 \\ 5 & 8 & -10 \\ -3 & -3 & 6 \end{bmatrix}, \mathbf{b} = \begin{bmatrix} -4 \\ 3 \\ 4 \end{bmatrix}$

A) Yes

B) No

Answer: B

Find a basis for the null space of the matrix.

76) $A = \begin{bmatrix} 1 & 0 & -7 & -4 \\ 0 & 1 & 5 & -2 \\ 0 & 0 & 0 & 0 \end{bmatrix}$

A) $\left\{ \begin{bmatrix} 7 \\ -5 \\ 1 \\ 0 \end{bmatrix}, \begin{bmatrix} 4 \\ 2 \\ 0 \\ 1 \end{bmatrix} \right\}$

B) $\left\{ \begin{bmatrix} -7 \\ 5 \\ 1 \\ 0 \end{bmatrix}, \begin{bmatrix} -4 \\ -2 \\ 0 \\ 1 \end{bmatrix} \right\}$

C) $\left\{ \begin{bmatrix} 1 \\ 0 \\ 0 \end{bmatrix}, \begin{bmatrix} 0 \\ 1 \\ 0 \end{bmatrix} \right\}$

D) $\left\{ \begin{bmatrix} 1 \\ 0 \\ -7 \\ -4 \end{bmatrix}, \begin{bmatrix} 0 \\ 1 \\ 5 \\ -2 \end{bmatrix} \right\}$

Answer: A

77) $A = \begin{bmatrix} 1 & 0 & -4 & 0 & -4 \\ 0 & 1 & 2 & 0 & 2 \\ 0 & 0 & 0 & 1 & 1 \\ 0 & 0 & 0 & 0 & 0 \end{bmatrix}$

A) $\left\{ \begin{bmatrix} 4 \\ -2 \\ 1 \\ 0 \\ 0 \end{bmatrix}, \begin{bmatrix} 4 \\ -2 \\ 0 \\ -1 \\ 1 \end{bmatrix} \right\}$

B) $\left\{ \begin{bmatrix} 1 \\ 0 \\ -4 \\ 0 \\ -4 \end{bmatrix}, \begin{bmatrix} 0 \\ 1 \\ 2 \\ 0 \\ 2 \end{bmatrix} \right\}$

C) $\left\{ \begin{bmatrix} 1 \\ 0 \\ 0 \\ 0 \end{bmatrix}, \begin{bmatrix} 0 \\ 1 \\ 0 \\ 0 \end{bmatrix}, \begin{bmatrix} 0 \\ 0 \\ 1 \\ 0 \end{bmatrix} \right\}$

D) $\left\{ \begin{bmatrix} -4 \\ 2 \\ 1 \\ 0 \\ 0 \end{bmatrix}, \begin{bmatrix} -4 \\ 2 \\ 0 \\ -1 \\ 1 \end{bmatrix} \right\}$

Answer: A

Access Complete Test Bank for Linear Algebra and Its Applications 5th Lay

Find a basis for the column space of the matrix.

78) $B = \begin{bmatrix} 1 & -2 & 5 & -3 \\ 2 & -4 & 13 & -2 \\ -3 & 6 & -15 & 9 \end{bmatrix}$

A) $\left\{ \begin{bmatrix} 1 \\ 2 \\ -3 \end{bmatrix}, \begin{bmatrix} -2 \\ -4 \\ 6 \end{bmatrix} \right\}$

B) $\left\{ \begin{bmatrix} 1 \\ 2 \\ -3 \end{bmatrix}, \begin{bmatrix} 5 \\ 13 \\ -15 \end{bmatrix} \right\}$

C) $\left\{ \begin{bmatrix} 2 \\ 1 \\ 0 \\ 0 \end{bmatrix}, \begin{bmatrix} \frac{29}{3} \\ 0 \\ -\frac{4}{3} \\ 1 \end{bmatrix} \right\}$

D) $\left\{ \begin{bmatrix} 1 \\ 0 \\ 0 \end{bmatrix}, \begin{bmatrix} 0 \\ 1 \\ 0 \end{bmatrix} \right\}$

Answer: B

79) $B = \begin{bmatrix} 1 & 0 & -5 & 0 & -3 \\ 0 & 1 & 4 & 0 & 4 \\ 0 & 0 & 0 & 1 & 1 \\ 0 & 0 & 0 & 0 & 0 \end{bmatrix}$

A) $\left\{ \begin{bmatrix} 1 \\ 0 \\ 0 \\ 0 \end{bmatrix}, \begin{bmatrix} 0 \\ 1 \\ 0 \\ 0 \end{bmatrix}, \begin{bmatrix} -5 \\ 4 \\ 0 \\ 0 \end{bmatrix} \right\}$

B) $\left\{ \begin{bmatrix} 1 \\ 0 \\ 0 \\ 0 \end{bmatrix}, \begin{bmatrix} 0 \\ 1 \\ 0 \\ 0 \end{bmatrix} \right\}$

C) $\left\{ \begin{bmatrix} 5 \\ -4 \\ 1 \\ 0 \\ 0 \end{bmatrix}, \begin{bmatrix} 3 \\ -4 \\ 0 \\ -1 \\ 1 \end{bmatrix} \right\}$

D) $\left\{ \begin{bmatrix} 1 \\ 0 \\ 0 \\ 0 \end{bmatrix}, \begin{bmatrix} 0 \\ 1 \\ 0 \\ 0 \end{bmatrix}, \begin{bmatrix} 0 \\ 0 \\ 1 \\ 0 \end{bmatrix} \right\}$

Answer: D

The vector x is in a subspace H with a basis $\beta = \{b_1, b_2\}$. Find the β–coordinate vector of x.

80) $\mathbf{b}_1 = \begin{bmatrix} 1 \\ -2 \end{bmatrix}, \mathbf{b}_2 = \begin{bmatrix} -5 \\ 3 \end{bmatrix}, \mathbf{x} = \begin{bmatrix} 22 \\ -16 \end{bmatrix}$

A) $\begin{bmatrix} 2 \\ -4 \end{bmatrix}$

B) $\begin{bmatrix} -2 \\ 4 \end{bmatrix}$

C) $\begin{bmatrix} -4 \\ 1 \end{bmatrix}$

D) $\begin{bmatrix} -4 \\ 2 \end{bmatrix}$

Answer: A

81) $\mathbf{b}_1 = \begin{bmatrix} 2 \\ -2 \\ 4 \end{bmatrix}, \mathbf{b}_2 = \begin{bmatrix} 6 \\ 1 \\ -3 \end{bmatrix}, \mathbf{x} = \begin{bmatrix} 6 \\ 8 \\ -18 \end{bmatrix}$

A) $\begin{bmatrix} -3 \\ 2 \end{bmatrix}$

B) $\begin{bmatrix} -3 \\ 2 \\ 0 \end{bmatrix}$

C) $\begin{bmatrix} 3 \\ -2 \end{bmatrix}$

D) $\begin{bmatrix} 2 \\ -3 \end{bmatrix}$

Answer: A

Access Complete Test Bank for Linear Algebra and Its Applications 5th Lay

Determine the rank of the matrix.

82) $\begin{bmatrix} 1 & -2 & 2 & -3 \\ 2 & -4 & 7 & -2 \\ -3 & 6 & -6 & 9 \end{bmatrix}$

A) 4 B) 1 C) 3 D) 2

Answer: D

83) $\begin{bmatrix} 1 & 0 & -4 & 0 & 4 \\ 0 & 1 & -3 & 0 & 4 \\ 0 & 0 & 0 & 1 & 1 \\ 0 & 0 & 0 & 0 & 0 \end{bmatrix}$

A) 3 B) 4 C) 5 D) 2

Answer: A

Access Complete Test Bank for Linear Algebra and Its Applications 5th Lay