

Test Bank for Math Calculations for Pharmacy Technicians 4th Beale

Chapter 02: Review of Basic Mathematical Skills

Beale: Math Calculations for Pharmacy Technicians, 4th Edition

MULTIPLE CHOICE

1. $\frac{1}{2} + \frac{3}{4}$
 - a. $\frac{5}{4}$
 - b. $1\frac{1}{4}$
 - c. $\frac{2}{3}$
 - d. $\frac{5}{4}$ or $1\frac{1}{4}$

ANS: D

Use the common denominator of 4 so that $\frac{1}{2}$ becomes $\frac{2}{4} + \frac{3}{4} = \frac{5}{4}$ or $(1\frac{1}{4})$.

DIF: Application

OBJ: ASHP Objective: 2.6 (Applying) Perform mathematical calculations essential to the duties of pharmacy technicians in a variety of settings.

MSC: PTCB Blueprint: 4.2 Formulas, calculations, ratios, proportions, alligations, conversions, Sig codes (e.g., b.i.d., t.i.d., Roman numerals), abbreviations, medical terminology, and symbols for days supply, quantity, dose, concentration, dilutions

2. If an order is written for one tab q8h $\times$ 7 d, how many are needed to fill the entire prescription?
 - a. 14
 - b. 21
 - c. 28
 - d. Not enough information

ANS: B

3 tabs/day $\times$ 7 days = 21 tabs.

DIF: Application

OBJ: ASHP Objective: 2.6 (Applying) Perform mathematical calculations essential to the duties of pharmacy technicians in a variety of settings.

MSC: PTCB Blueprint: 4.2 Formulas, calculations, ratios, proportions, alligations, conversions, Sig codes (e.g., b.i.d., t.i.d., Roman numerals), abbreviations, medical terminology, and symbols for days supply, quantity, dose, concentration, dilutions

3. A patient is ordered to take 3 tabs bid for one week. How many tablets are needed to fill the prescription?
 - a. 21
 - b. 28
 - c. 35
 - d. 42

ANS: D

3 tabs/dose $\times$ 2 doses/day (bid) $\times$ 7 days (one week) = 42 tabs.

DIF: Application

OBJ: ASHP Objective: 2.6 (Applying) Perform mathematical calculations essential to the duties of pharmacy technicians in a variety of settings.

MSC: PTCB Blueprint: 4.2 Formulas, calculations, ratios, proportions, alligations, conversions, Sig codes (e.g., b.i.d., t.i.d., Roman numerals), abbreviations, medical terminology, and symbols for days supply, quantity, dose, concentration, dilutions

4. A pharmacy has an inventory reorder point of 200 capsules of an antibiotic. If the total amount of medication on hand is 800 capsules, what percentage is left when the reorder point is reached?
- 10%
 - 25%
 - 33.3%
 - 50%

ANS: B

$x/100 = 200/800$ reduce to $x/100 = 1/4$

$4x = 100$

$x = 25$

25%.

DIF: Application

OBJ: ASHP Objective: 2.6 (Applying) Perform mathematical calculations essential to the duties of pharmacy technicians in a variety of settings.

MSC: PTCB Blueprint: 4.2 Formulas, calculations, ratios, proportions, alligations, conversions, Sig codes (e.g., b.i.d., t.i.d., Roman numerals), abbreviations, medical terminology, and symbols for days supply, quantity, dose, concentration, dilutions

5. A physician orders 45 tablets to be taken one three times a day. If 15 tablets have been taken, what percentage of tablets has the patient taken?
- 10%
 - 25%
 - 33.3%
 - 50%

ANS: C

$x/100 = 15/45$ reduce to $x/100 = 1/3$

$3x = 100$

$x = 33.3$

33.3%.

DIF: Application

OBJ: ASHP Objective: 2.6 (Applying) Perform mathematical calculations essential to the duties of pharmacy technicians in a variety of settings.

MSC: PTCB Blueprint: 4.2 Formulas, calculations, ratios, proportions, alligations, conversions, Sig codes (e.g., b.i.d., t.i.d., Roman numerals), abbreviations, medical terminology, and symbols for days supply, quantity, dose, concentration, dilutions

6. The inventory for a medication is 450 tablets and it is to be replenished at 50%. At what number of tablets should the medication be reordered?
- 200
 - 225
 - 250
 - 275

ANS: B

$$50/100 = x/450 \text{ reduce to } 1/2 = x/450$$

$$2x = 450$$

$$x = 225.$$

DIF: Application

OBJ: ASHP Objective: 2.6 (Applying) Perform mathematical calculations essential to the duties of pharmacy technicians in a variety of settings.

MSC: PTCB Blueprint: 4.2 Formulas, calculations, ratios, proportions, alligations, conversions, Sig codes (e.g., b.i.d., t.i.d., Roman numerals), abbreviations, medical terminology, and symbols for days supply, quantity, dose, concentration, dilutions

7. The budgeted amount for a year for a medication is \$1,800. What is the budgeted amount for each month?
- \$120
 - \$140
 - \$150
 - \$180

ANS: C

$$\$1,800 \div 12 = \$150.$$

DIF: Application

OBJ: ASHP Objective: 2.6 (Applying) Perform mathematical calculations essential to the duties of pharmacy technicians in a variety of settings.

MSC: PTCB Blueprint: 4.2 Formulas, calculations, ratios, proportions, alligations, conversions, Sig codes (e.g., b.i.d., t.i.d., Roman numerals), abbreviations, medical terminology, and symbols for days supply, quantity, dose, concentration, dilutions

8. Change $54/26$ to a mixed number and reduce to lowest possible terms.
- 2
 - $2 \frac{2}{26}$
 - $2 \frac{1}{13}$
 - $1 \frac{25}{26}$

ANS: C

$$54 \div 26 = 2 \frac{2}{26}, \text{ which reduces to } 2 \frac{1}{13}.$$

DIF: Application

OBJ: ASHP Objective: 2.6 (Applying) Perform mathematical calculations essential to the duties of pharmacy technicians in a variety of settings.

MSC: PTCB Blueprint: 4.2 Formulas, calculations, ratios, proportions, alligations, conversions, Sig codes (e.g., b.i.d., t.i.d., Roman numerals), abbreviations, medical terminology, and symbols for days supply, quantity, dose, concentration, dilutions

9. Change the following to an *improper* fraction and *reduce* to lowest terms: $2 \frac{4}{6}$.
- $2 \frac{2}{3}$
 - $14/6$
 - $16/6$
 - $8/3$

ANS: D

$$2 \times 6 = 12, 12 + 4 = 16 \text{ so } 16/6, \text{ which reduces to } 8/3.$$

DIF: Application

OBJ: ASHP Objective: 2.6 (Applying) Perform mathematical calculations essential to the duties of pharmacy technicians in a variety of settings.

MSC: PTCB Blueprint: 4.2 Formulas, calculations, ratios, proportions, alligations, conversions, Sig codes (e.g., b.i.d., t.i.d., Roman numerals), abbreviations, medical terminology, and symbols for days supply, quantity, dose, concentration, dilutions

10. A prescription requires $\frac{3}{4}$ of a pint of water for reconstitution. The only measuring device available measures $\frac{1}{3}$ pint. How many times should this container be filled to make $\frac{3}{4}$ pint?
- 2
 - $2\frac{1}{4}$
 - $2\frac{1}{3}$
 - $2\frac{1}{2}$

ANS: B

To calculate how many times you need to fill a $\frac{1}{3}$ measuring cup to make $\frac{3}{4}$, see how many times $\frac{1}{3}$ goes into $\frac{3}{4}$, which is $\frac{3}{4} \div \frac{1}{3}$. Invert and multiply so $\frac{3}{4} \times \frac{3}{1} = \frac{9}{4}$, which reduces to $2\frac{1}{4}$.

DIF: Application

OBJ: ASHP Objective: 2.6 (Applying) Perform mathematical calculations essential to the duties of pharmacy technicians in a variety of settings.

MSC: PTCB Blueprint: 4.2 Formulas, calculations, ratios, proportions, alligations, conversions, Sig codes (e.g., b.i.d., t.i.d., Roman numerals), abbreviations, medical terminology, and symbols for days supply, quantity, dose, concentration, dilutions

11. Convert 0.01% to a fraction and reduce to lowest terms.
- $\frac{1}{100}$
 - $\frac{1}{1,000}$
 - $\frac{1}{10,000}$
 - No answer is correct

ANS: C

0.01% becomes $\frac{0.01}{100}$. To remove the decimal point from the numerator, multiply both the numerator and the denominator by 100/100 to equal $\frac{1}{10,000}$.

DIF: Application

OBJ: ASHP Objective: 2.6 (Applying) Perform mathematical calculations essential to the duties of pharmacy technicians in a variety of settings.

MSC: PTCB Blueprint: 4.2 Formulas, calculations, ratios, proportions, alligations, conversions, Sig codes (e.g., b.i.d., t.i.d., Roman numerals), abbreviations, medical terminology, and symbols for days supply, quantity, dose, concentration, dilutions

12. If a patient requires 10 tablets for a 5-day supply, how many are required for 30 days?
- 30
 - 60
 - 90
 - 120

ANS: B

Use the ratio and proportion method to solve 10 is to 5 as x is to 3.

$$10/5 = x/30$$

$$5x = 300$$

$$x = 300 \div 5 = 60.$$

DIF: Application

OBJ: ASHP Objective: 2.6 (Applying) Perform mathematical calculations essential to the duties of pharmacy technicians in a variety of settings.

MSC: PTCB Blueprint: 4.2 Formulas, calculations, ratios, proportions, alligations, conversions, Sig codes (e.g., b.i.d., t.i.d., Roman numerals), abbreviations, medical terminology, and symbols for days supply, quantity, dose, concentration, dilutions

13. A stock bottle contains 500 tablets. 100 tablets have been used to fill a prescription. What percentage of the container is left?
- 90%
 - 85%
 - 80%
 - 75%

ANS: C

$$500 - 100 = 400; 400/500 = x/100, \text{ which reduces to } 4/5 = x/100$$

$$5x = 400$$

$$x = 400 \div 5 = 80$$

80%.

DIF: Application

OBJ: ASHP Objective: 2.6 (Applying) Perform mathematical calculations essential to the duties of pharmacy technicians in a variety of settings.

MSC: PTCB Blueprint: 4.2 Formulas, calculations, ratios, proportions, alligations, conversions, Sig codes (e.g., b.i.d., t.i.d., Roman numerals), abbreviations, medical terminology, and symbols for days supply, quantity, dose, concentration, dilutions

14. A patient is to take 3 tablets a day for one week. How many tablets are needed to fill the prescription?
- 15
 - 21
 - 28
 - 42

ANS: B

$$3 \text{ tablets/day} \times 7 \text{ days} = 21 \text{ tablets.}$$

DIF: Application

OBJ: ASHP Objective: 2.6 (Applying) Perform mathematical calculations essential to the duties of pharmacy technicians in a variety of settings.

MSC: PTCB Blueprint: 4.2 Formulas, calculations, ratios, proportions, alligations, conversions, Sig codes (e.g., b.i.d., t.i.d., Roman numerals), abbreviations, medical terminology, and symbols for days supply, quantity, dose, concentration, dilutions

15. 30 tablets are what percent of a 1,000-tablet bottle?
- 3%
 - 15%
 - 30%

d. 60%

ANS: A

$$x/100 = 30/1,000.$$

DIF: Application

OBJ: ASHP Objective: 2.6 (Applying) Perform mathematical calculations essential to the duties of pharmacy technicians in a variety of settings.

MSC: PTCB Blueprint: 4.2 Formulas, calculations, ratios, proportions, alligations, conversions, Sig codes (e.g., b.i.d., t.i.d., Roman numerals), abbreviations, medical terminology, and symbols for days supply, quantity, dose, concentration, dilutions

16. What is 60% of 500 g?

- a. 30 g
- b. 60 g
- c. 150 g
- d. 300 g

ANS: D

$$60/100 = x/500 \text{ g cross multiply and divide or } 500 \text{ g} \times 0.6 = 300 \text{ g}.$$

DIF: Application

OBJ: ASHP Objective: 2.6 (Applying) Perform mathematical calculations essential to the duties of pharmacy technicians in a variety of settings.

MSC: PTCB Blueprint: 4.2 Formulas, calculations, ratios, proportions, alligations, conversions, Sig codes (e.g., b.i.d., t.i.d., Roman numerals), abbreviations, medical terminology, and symbols for days supply, quantity, dose, concentration, dilutions

17. How much would a customer save with a 15% discount on a 500-count bottle of low dose aspirin that costs \$7.95?

- a. \$0.79
- b. \$1.19
- c. \$1.79
- d. \$2.19

ANS: B

$$15/100 = x/\$7.95 \text{ or } \$7.95 \times 0.15 = \$1.19.$$

DIF: Application

OBJ: ASHP Objective: 2.6 (Applying) Perform mathematical calculations essential to the duties of pharmacy technicians in a variety of settings.

MSC: PTCB Blueprint: 4.2 Formulas, calculations, ratios, proportions, alligations, conversions, Sig codes (e.g., b.i.d., t.i.d., Roman numerals), abbreviations, medical terminology, and symbols for days supply, quantity, dose, concentration, dilutions

18. A patient's insurance only allows a refill when 70% of the prescription has been taken. If a patient has taken 36 capsules out of her prescription of 60 capsules, is she eligible for a refill?

- a. No, that is only 40%.
- b. No, that is only 60%.
- c. Yes, that is 70%.
- d. Yes, that is 83%.

ANS: B

$$x/100 = 36/60$$

$$x = 60.$$

DIF: Application

OBJ: ASHP Objective: 2.6 (Applying) Perform mathematical calculations essential to the duties of pharmacy technicians in a variety of settings.

MSC: PTCB Blueprint: 4.2 Formulas, calculations, ratios, proportions, alligations, conversions, Sig codes (e.g., b.i.d., t.i.d., Roman numerals), abbreviations, medical terminology, and symbols for days supply, quantity, dose, concentration, dilutions

19. A patient only has \$5 to purchase his prescription medication. The prescription for 30 tablets costs \$25. How many tablets can he afford with \$5?
- 5
 - 6
 - 7
 - 8

ANS: B

$$\$25/30 \text{ tabs} = \$5/x$$

$$25x = 150 \text{ tabs}$$

$$x = 6 \text{ tabs.}$$

DIF: Application

OBJ: ASHP Objective: 2.6 (Applying) Perform mathematical calculations essential to the duties of pharmacy technicians in a variety of settings.

MSC: PTCB Blueprint: 4.2 Formulas, calculations, ratios, proportions, alligations, conversions, Sig codes (e.g., b.i.d., t.i.d., Roman numerals), abbreviations, medical terminology, and symbols for days supply, quantity, dose, concentration, dilutions

20. A physician tells a patient to drink eight 8-oz glasses of water per day. How many ounces of water should the patient drink each day to follow this order?
- 32 oz
 - 64 oz
 - 96 oz
 - 128 oz

ANS: B

$$8 \times 8 = 64.$$

DIF: Application

OBJ: ASHP Objective: 2.6 (Applying) Perform mathematical calculations essential to the duties of pharmacy technicians in a variety of settings.

MSC: PTCB Blueprint: 4.2 Formulas, calculations, ratios, proportions, alligations, conversions, Sig codes (e.g., b.i.d., t.i.d., Roman numerals), abbreviations, medical terminology, and symbols for days supply, quantity, dose, concentration, dilutions

21. A doctor orders a patient to take 975 mg of Tylenol. The tablets available are 325 mg each. How many are needed for one dose?
- 2
 - 3
 - 4
 - 5

ANS: B

$$975 \div 325 = 3.$$

DIF: Application

OBJ: ASHP Objective: 2.6 (Applying) Perform mathematical calculations essential to the duties of pharmacy technicians in a variety of settings.

MSC: PTCB Blueprint: 4.2 Formulas, calculations, ratios, proportions, alligations, conversions, Sig codes (e.g., b.i.d., t.i.d., Roman numerals), abbreviations, medical terminology, and symbols for days supply, quantity, dose, concentration, dilutions

22. A child is to be given 2.5 mL of medication four times a day for 10 days. How much is needed for *one* day?
- a. 5 mL
 - b. 10 mL
 - c. 50 mL
 - d. 100 mL

ANS: B

$$4 \times 2.5 \text{ mL} = 10 \text{ mL}.$$

DIF: Application

OBJ: ASHP Objective: 2.6 (Applying) Perform mathematical calculations essential to the duties of pharmacy technicians in a variety of settings.

MSC: PTCB Blueprint: 4.2 Formulas, calculations, ratios, proportions, alligations, conversions, Sig codes (e.g., b.i.d., t.i.d., Roman numerals), abbreviations, medical terminology, and symbols for days supply, quantity, dose, concentration, dilutions

23. Divide 102.34 by 12.567 and round the answer to the nearest hundredth.
- a. 8.1
 - b. 8.14
 - c. 8.143
 - d. 8.1436

ANS: B

Only 8.14 is rounded to the hundredths position.

DIF: Application

OBJ: ASHP Objective: 2.6 (Applying) Perform mathematical calculations essential to the duties of pharmacy technicians in a variety of settings.

MSC: PTCB Blueprint: 4.2 Formulas, calculations, ratios, proportions, alligations, conversions, Sig codes (e.g., b.i.d., t.i.d., Roman numerals), abbreviations, medical terminology, and symbols for days supply, quantity, dose, concentration, dilutions

24. Perform the following subtraction and round to the hundredths place: $654.1 - 45.1256$.
- a. 607.97
 - b. 608.98
 - c. 608.97
 - d. 609.9

ANS: C

$$654.1 - 45.1256 = 608.9744, \text{ which rounds to } 608.97.$$

DIF: Application

OBJ: ASHP Objective: 2.6 (Applying) Perform mathematical calculations essential to the duties of pharmacy technicians in a variety of settings.

MSC: PTCB Blueprint: 4.2 Formulas, calculations, ratios, proportions, alligations, conversions, Sig codes (e.g., b.i.d., t.i.d., Roman numerals), abbreviations, medical terminology, and symbols for days supply, quantity, dose, concentration, dilutions

25. Perform the following division problem: $2\frac{3}{8} \div 1\frac{5}{6}$.

- a. $1\frac{5}{16}$
- b. $4\frac{17}{48}$
- c. $1\frac{13}{44}$
- d. $1\frac{6}{11}$

ANS: C

$2\frac{3}{8}$ becomes $\frac{19}{8}$; $1\frac{5}{6}$ becomes $\frac{11}{6}$; since it is a division problem, invert the second fraction and multiply: $\frac{19}{8} \times \frac{6}{11} = \frac{19}{4} \times \frac{3}{11} = \frac{57}{44} = 1\frac{13}{44}$.

DIF: Application

OBJ: ASHP Objective: 2.6 (Applying) Perform mathematical calculations essential to the duties of pharmacy technicians in a variety of settings.

MSC: PTCB Blueprint: 4.2 Formulas, calculations, ratios, proportions, alligations, conversions, Sig codes (e.g., b.i.d., t.i.d., Roman numerals), abbreviations, medical terminology, and symbols for days supply, quantity, dose, concentration, dilutions

26. $\frac{3}{8} + \frac{7}{10} + \frac{3}{5} = \underline{\hspace{2cm}}$.

- a. $1\frac{17}{10}$
- b. $1\frac{27}{40}$
- c. $1\frac{20}{40}$
- d. $1\frac{27}{8}$

ANS: B

Use the LCD of 40 and change all fractions to 40ths: $\frac{3}{8}$ becomes $\frac{15}{40}$; $\frac{7}{10}$ becomes $\frac{28}{40}$; $\frac{3}{5}$ becomes $\frac{24}{40}$. Add $15 + 28 + 24$ and place the answer over 40.
 $\frac{67}{40} = 1\frac{27}{40}$.

DIF: Application

OBJ: ASHP Objective: 2.6 (Applying) Perform mathematical calculations essential to the duties of pharmacy technicians in a variety of settings.

MSC: PTCB Blueprint: 4.2 Formulas, calculations, ratios, proportions, alligations, conversions, Sig codes (e.g., b.i.d., t.i.d., Roman numerals), abbreviations, medical terminology, and symbols for days supply, quantity, dose, concentration, dilutions

27. $\frac{1}{4} - \frac{1}{6} = \underline{\hspace{2cm}}$.

- a. $\frac{1}{2}$
- b. $\frac{1}{12}$
- c. $\frac{1}{24}$
- d. $\frac{2}{3}$

ANS: B

Use the LDC of 12; change $\frac{1}{4}$ to $\frac{3}{12}$; change $\frac{1}{6}$ to $\frac{2}{12}$
 $\frac{3}{12} - \frac{2}{12} = \frac{1}{12}$.

DIF: Application

OBJ: ASHP Objective: 2.6 (Applying) Perform mathematical calculations essential to the duties of pharmacy technicians in a variety of settings.

MSC: PTCB Blueprint: 4.2 Formulas, calculations, ratios, proportions, alligations, conversions, Sig codes (e.g., b.i.d., t.i.d., Roman numerals), abbreviations, medical terminology, and symbols for days supply, quantity, dose, concentration, dilutions

28. $158 - 59 = \underline{\hspace{2cm}}$.

- a. 217
- b. 97
- c. 99
- d. 63

ANS: C

99 by definition of subtraction.

DIF: Application

OBJ: ASHP Objective: 2.6 (Applying) Perform mathematical calculations essential to the duties of pharmacy technicians in a variety of settings.

MSC: PTCB Blueprint: 4.2 Formulas, calculations, ratios, proportions, alligations, conversions, Sig codes (e.g., b.i.d., t.i.d., Roman numerals), abbreviations, medical terminology, and symbols for days supply, quantity, dose, concentration, dilutions

29. $4.502 + 14.06 = \underline{\hspace{2cm}}$.

- a. 18.56
- b. 10.81
- c. 18.21
- d. 10.1

ANS: A

$3.501 + 14.06 = 18.561$, which rounds to 18.56.

DIF: Application

OBJ: ASHP Objective: 2.6 (Applying) Perform mathematical calculations essential to the duties of pharmacy technicians in a variety of settings.

MSC: PTCB Blueprint: 4.2 Formulas, calculations, ratios, proportions, alligations, conversions, Sig codes (e.g., b.i.d., t.i.d., Roman numerals), abbreviations, medical terminology, and symbols for days supply, quantity, dose, concentration, dilutions

30. $\frac{3}{8} \cdot \frac{5}{6} = \underline{\hspace{2cm}}$.

- a. $\frac{13}{42}$
- b. $\frac{1}{2}$
- c. $\frac{1}{9}$
- d. $\frac{5}{16}$

ANS: D

$\frac{3}{8} \times \frac{5}{6} = \frac{15}{48}$, which reduces to $\frac{5}{16}$.

DIF: Application

OBJ: ASHP Objective: 2.6 (Applying) Perform mathematical calculations essential to the duties of pharmacy technicians in a variety of settings.

MSC: PTCB Blueprint: 4.2 Formulas, calculations, ratios, proportions, alligations, conversions, Sig codes (e.g., b.i.d., t.i.d., Roman numerals), abbreviations, medical terminology, and symbols for days supply, quantity, dose, concentration, dilutions

31. $13.5 \cdot 3.05 =$ _____.
- a. 10.4
 - b. 40.11
 - c. 41.18
 - d. 23.09

ANS: C

$13.5 \times 3.05 = 41.175$, which rounds to 41.18.

DIF: Application

OBJ: ASHP Objective: 2.6 (Applying) Perform mathematical calculations essential to the duties of pharmacy technicians in a variety of settings.

MSC: PTCB Blueprint: 4.2 Formulas, calculations, ratios, proportions, alligations, conversions, Sig codes (e.g., b.i.d., t.i.d., Roman numerals), abbreviations, medical terminology, and symbols for days supply, quantity, dose, concentration, dilutions

32. $34.3 \div 6.5 =$ _____.
- a. 5.28
 - b. 5.19
 - c. 4.21
 - d. 28.4

ANS: A

$34.3 \div 6.5 = 5.276$, which rounds to 5.28.

DIF: Application

OBJ: ASHP Objective: 2.6 (Applying) Perform mathematical calculations essential to the duties of pharmacy technicians in a variety of settings.

MSC: PTCB Blueprint: 4.2 Formulas, calculations, ratios, proportions, alligations, conversions, Sig codes (e.g., b.i.d., t.i.d., Roman numerals), abbreviations, medical terminology, and symbols for days supply, quantity, dose, concentration, dilutions

33. $3,467.021 - 34.6701 =$ _____.
- a. 3,674.2
 - b. 3,532.1
 - c. 3,223.55
 - d. 3,432.35

ANS: D

After lining up decimals, $3,467.021 - 34.6701 = 3,432.3509$, which rounds to 3,432.35.

DIF: Application

OBJ: ASHP Objective: 2.6 (Applying) Perform mathematical calculations essential to the duties of pharmacy technicians in a variety of settings.

MSC: PTCB Blueprint: 4.2 Formulas, calculations, ratios, proportions, alligations, conversions, Sig codes (e.g., b.i.d., t.i.d., Roman numerals), abbreviations, medical terminology, and symbols for days supply, quantity, dose, concentration, dilutions

34. $465 + 5.098 + 76.5 =$ _____.
- a. 460.5
 - b. 523.75
 - c. 546.60

d. 658.23

ANS: C

After lining up decimals, $465 + 5.098 + 76.5 = 546.598$, which rounds to 546.60.

DIF: Application

OBJ: ASHP Objective: 2.6 (Applying) Perform mathematical calculations essential to the duties of pharmacy technicians in a variety of settings.

MSC: PTCB Blueprint: 4.2 Formulas, calculations, ratios, proportions, alligations, conversions, Sig codes (e.g., b.i.d., t.i.d., Roman numerals), abbreviations, medical terminology, and symbols for days supply, quantity, dose, concentration, dilutions

35. $2 \frac{1}{2} + 3 \frac{1}{5} + \frac{1}{4} = \underline{\hspace{2cm}}$.

- a. $5 \frac{4}{5}$
- b. $5 \frac{19}{20}$
- c. $4 \frac{2}{10}$
- d. $5 \frac{1}{2}$

ANS: B

$2 + 3 = 5$, then use the LCD of 20 to add the fractions. $\frac{1}{2}$ becomes $\frac{10}{20}$, $\frac{1}{5}$ becomes $\frac{4}{20}$, $\frac{1}{4}$ becomes $\frac{5}{20}$ so the total is $\frac{19}{20}$. $5 + \frac{19}{20} = 5 \frac{19}{20}$.

DIF: Application

OBJ: ASHP Objective: 2.6 (Applying) Perform mathematical calculations essential to the duties of pharmacy technicians in a variety of settings.

MSC: PTCB Blueprint: 4.2 Formulas, calculations, ratios, proportions, alligations, conversions, Sig codes (e.g., b.i.d., t.i.d., Roman numerals), abbreviations, medical terminology, and symbols for days supply, quantity, dose, concentration, dilutions

36. $9 \frac{3}{4} - 1 \frac{5}{6} = \underline{\hspace{2cm}}$.

- a. $7 \frac{1}{6}$
- b. $8 \frac{1}{5}$
- c. $7 \frac{11}{12}$
- d. $8 \frac{1}{2}$

ANS: C

Change to improper fractions $\frac{39}{4}$ and $\frac{11}{6}$, use LCD of 12 to obtain $\frac{117}{12} - \frac{22}{12} = \frac{95}{12}$. $95 \div 12 = 7$ with $\frac{11}{12}$ left over.

DIF: Application

OBJ: ASHP Objective: 2.6 (Applying) Perform mathematical calculations essential to the duties of pharmacy technicians in a variety of settings.

MSC: PTCB Blueprint: 4.2 Formulas, calculations, ratios, proportions, alligations, conversions, Sig codes (e.g., b.i.d., t.i.d., Roman numerals), abbreviations, medical terminology, and symbols for days supply, quantity, dose, concentration, dilutions

37. $76.14 \cdot 7.61 = \underline{\hspace{2cm}}$.

- a. 69.12
- b. 83.77
- c. 579.43
- d. 32.9

ANS: C

Multiply the two numbers, place the decimal 4 places from the right, and then round to the hundredth's place. $76.14 \cdot 7.61 = 579.4254 = 579.43$.

DIF: Application

OBJ: ASHP Objective: 2.6 (Applying) Perform mathematical calculations essential to the duties of pharmacy technicians in a variety of settings.

MSC: PTCB Blueprint: 4.2 Formulas, calculations, ratios, proportions, alligations, conversions, Sig codes (e.g., b.i.d., t.i.d., Roman numerals), abbreviations, medical terminology, and symbols for days supply, quantity, dose, concentration, dilutions

38. $3.562 + 56.01 + 107.431 =$ _____.
- a. 267.00
 - b. 579.43
 - c. 167.00
 - d. 546.60

ANS: C

Line up the decimals, add (167.003), and round to the hundredths place.

DIF: Application

OBJ: ASHP Objective: 2.6 (Applying) Perform mathematical calculations essential to the duties of pharmacy technicians in a variety of settings.

MSC: PTCB Blueprint: 4.2 Formulas, calculations, ratios, proportions, alligations, conversions, Sig codes (e.g., b.i.d., t.i.d., Roman numerals), abbreviations, medical terminology, and symbols for days supply, quantity, dose, concentration, dilutions

39. $1 \frac{5}{8} \div \frac{4}{5} =$ _____.
- a. $1 \frac{27}{40}$
 - b. $7 \frac{11}{12}$
 - c. $2 \frac{1}{32}$
 - d. $8 \frac{7}{14}$

ANS: C

Change the mixed number to the improper fraction $\frac{13}{8}$, invert and multiply $\frac{13}{8} \times \frac{5}{4} = \frac{65}{32}$. Change back to an improper fraction. $65 \div 32 = 2 \frac{1}{32}$.

DIF: Application

OBJ: ASHP Objective: 2.6 (Applying) Perform mathematical calculations essential to the duties of pharmacy technicians in a variety of settings.

MSC: PTCB Blueprint: 4.2 Formulas, calculations, ratios, proportions, alligations, conversions, Sig codes (e.g., b.i.d., t.i.d., Roman numerals), abbreviations, medical terminology, and symbols for days supply, quantity, dose, concentration, dilutions

40. $6 \frac{3}{8} - 4 \frac{5}{6} =$ _____.
- a. $1 \frac{27}{40}$
 - b. $\frac{5}{16}$
 - c. $2 \frac{1}{32}$
 - d. $1 \frac{13}{24}$

ANS: D

Change both numbers to improper fractions: $\frac{51}{8} - \frac{29}{6}$. Using the common denominator of 24 change both fractions to $\frac{153}{24} - \frac{116}{24} = \frac{37}{24}$ or $1 \frac{13}{24}$.

DIF: Application

OBJ: ASHP Objective: 2.6 (Applying) Perform mathematical calculations essential to the duties of pharmacy technicians in a variety of settings.

MSC: PTCB Blueprint: 4.2 Formulas, calculations, ratios, proportions, alligations, conversions, Sig codes (e.g., b.i.d., t.i.d., Roman numerals), abbreviations, medical terminology, and symbols for days supply, quantity, dose, concentration, dilutions

41. $1/9 + 4\frac{1}{3} + 5\frac{7}{8} =$ _____.
- a. $9\frac{7}{8}$
 - b. $10\frac{1}{7}$
 - c. $13\frac{1}{13}$
 - d. $10\frac{23}{72}$

ANS: D

Change $4\frac{1}{3}$ to $13/3$. Change $5\frac{7}{8}$ to $47/8$. Then, using the LCD of 72 change the fractions to $8/72 + 312/72 + 423/72 = 743/72$. $743 \div 72 = 10\frac{23}{72}$.

DIF: Application

OBJ: ASHP Objective: 2.6 (Applying) Perform mathematical calculations essential to the duties of pharmacy technicians in a variety of settings.

MSC: PTCB Blueprint: 4.2 Formulas, calculations, ratios, proportions, alligations, conversions, Sig codes (e.g., b.i.d., t.i.d., Roman numerals), abbreviations, medical terminology, and symbols for days supply, quantity, dose, concentration, dilutions

42. What is one third of a piece of tape that is 18.6 cm long?
- a. 9.2 cm
 - b. 3.1 cm
 - c. 6.2 cm
 - d. 55.8 cm

ANS: C

$18.6\text{ cm} \cdot 1/3 = 6.2\text{ cm}$ or $18.6\text{ cm} \div 3 = 6.2\text{ cm}$.

DIF: Application

OBJ: ASHP Objective: 2.6 (Applying) Perform mathematical calculations essential to the duties of pharmacy technicians in a variety of settings.

MSC: PTCB Blueprint: 4.2 Formulas, calculations, ratios, proportions, alligations, conversions, Sig codes (e.g., b.i.d., t.i.d., Roman numerals), abbreviations, medical terminology, and symbols for days supply, quantity, dose, concentration, dilutions

43. A bottle of medication contains 60 mL of medication. The physician asks that the patient receive $1/12$ of the medication. How many milliliters should the patient receive? _____
- a. 6 mL
 - b. 5 mL
 - c. 12 mL
 - d. 1 mL

ANS: B

$1/12 (60\text{ mL}) = 5\text{ mL}$.

DIF: Application

OBJ: ASHP Objective: 2.6 (Applying) Perform mathematical calculations essential to the duties of pharmacy technicians in a variety of settings.

MSC: PTCB Blueprint: 4.2 Formulas, calculations, ratios, proportions, alligations, conversions, Sig codes (e.g., b.i.d., t.i.d., Roman numerals), abbreviations, medical terminology, and symbols for days supply, quantity, dose, concentration, dilutions

44. Reduce the following fraction:

$$45/90 = \underline{\hspace{2cm}}.$$

- a. $1/2$
- b. $3/4$
- c. $5/8$
- d. $2/5$

ANS: A

Divide the numerator and denominator by 45.

DIF: Application

OBJ: ASHP Objective: 2.6 (Applying) Perform mathematical calculations essential to the duties of pharmacy technicians in a variety of settings.

MSC: PTCB Blueprint: 4.2 Formulas, calculations, ratios, proportions, alligations, conversions, Sig codes (e.g., b.i.d., t.i.d., Roman numerals), abbreviations, medical terminology, and symbols for days supply, quantity, dose, concentration, dilutions

45. Reduce the following fraction:

$$46/100 = \underline{\hspace{2cm}}.$$

- a. $23/50$
- b. $7/5$
- c. $3/25$
- d. $1/2$

ANS: A

Divide the numerator and denominator by 2.

DIF: Application

OBJ: ASHP Objective: 2.6 (Applying) Perform mathematical calculations essential to the duties of pharmacy technicians in a variety of settings.

MSC: PTCB Blueprint: 4.2 Formulas, calculations, ratios, proportions, alligations, conversions, Sig codes (e.g., b.i.d., t.i.d., Roman numerals), abbreviations, medical terminology, and symbols for days supply, quantity, dose, concentration, dilutions

46. Reduce the following fraction:

$$5/30 = \underline{\hspace{2cm}}.$$

- a. $1/5$
- b. $3/4$
- c. $1/6$
- d. $2/15$

ANS: C

Divide the numerator and denominator by 5.

DIF: Application

OBJ: ASHP Objective: 2.6 (Applying) Perform mathematical calculations essential to the duties of pharmacy technicians in a variety of settings.

MSC: PTCB Blueprint: 4.2 Formulas, calculations, ratios, proportions, alligations, conversions, Sig codes (e.g., b.i.d., t.i.d., Roman numerals), abbreviations, medical terminology, and symbols for days

supply, quantity, dose, concentration, dilutions

47. Reduce the following fraction:

$76/120 = \underline{\hspace{2cm}}$.

- a. 11/40
- b. 19/30
- c. 3/60
- d. 7/15

ANS: B

Divide the numerator and denominator by 4.

DIF: Application

OBJ: ASHP Objective: 2.6 (Applying) Perform mathematical calculations essential to the duties of pharmacy technicians in a variety of settings.

MSC: PTCB Blueprint: 4.2 Formulas, calculations, ratios, proportions, alligations, conversions, Sig codes (e.g., b.i.d., t.i.d., Roman numerals), abbreviations, medical terminology, and symbols for days supply, quantity, dose, concentration, dilutions

48. Change the following improper fraction to a mixed number:

$65/35 = \underline{\hspace{2cm}}$.

- a. 1/2
- b. 2 3/4
- c. 1 6/7
- d. 1 3/5

ANS: C

$65 \div 35 = 1 \text{ } 30/35$, which reduces to $1 \text{ } 6/7$.

DIF: Application

OBJ: ASHP Objective: 2.6 (Applying) Perform mathematical calculations essential to the duties of pharmacy technicians in a variety of settings.

MSC: PTCB Blueprint: 4.2 Formulas, calculations, ratios, proportions, alligations, conversions, Sig codes (e.g., b.i.d., t.i.d., Roman numerals), abbreviations, medical terminology, and symbols for days supply, quantity, dose, concentration, dilutions

49. Change the following improper fraction to a mixed number:

$60/15 = \underline{\hspace{2cm}}$.

- a. 4
- b. 3
- c. 7
- d. 5

ANS: A

$60 \div 15 = 4$.

DIF: Application

OBJ: ASHP Objective: 2.6 (Applying) Perform mathematical calculations essential to the duties of pharmacy technicians in a variety of settings.

MSC: PTCB Blueprint: 4.2 Formulas, calculations, ratios, proportions, alligations, conversions, Sig codes (e.g., b.i.d., t.i.d., Roman numerals), abbreviations, medical terminology, and symbols for days supply, quantity, dose, concentration, dilutions

50. Change the following improper fraction to a mixed number:

$$120/25 = \underline{\hspace{2cm}}.$$

- a. $4 \frac{2}{3}$
- b. $5 \frac{3}{5}$
- c. $3 \frac{1}{2}$
- d. $4 \frac{4}{5}$

ANS: D

$120 \div 25 = 4 \frac{20}{25}$, which reduces to $4 \frac{4}{5}$.

DIF: Application

OBJ: ASHP Objective: 2.6 (Applying) Perform mathematical calculations essential to the duties of pharmacy technicians in a variety of settings.

MSC: PTCB Blueprint: 4.2 Formulas, calculations, ratios, proportions, alligations, conversions, Sig codes (e.g., b.i.d., t.i.d., Roman numerals), abbreviations, medical terminology, and symbols for days supply, quantity, dose, concentration, dilutions

51. Change the following improper fraction to a mixed number:

$$250/75 = \underline{\hspace{2cm}}.$$

- a. $3 \frac{1}{3}$
- b. $3 \frac{2}{5}$
- c. $4 \frac{1}{2}$
- d. $2 \frac{1}{3}$

ANS: A

$250 \div 75 = 3 \frac{25}{75}$, which reduces to $3 \frac{1}{3}$.

DIF: Application

OBJ: ASHP Objective: 2.6 (Applying) Perform mathematical calculations essential to the duties of pharmacy technicians in a variety of settings.

MSC: PTCB Blueprint: 4.2 Formulas, calculations, ratios, proportions, alligations, conversions, Sig codes (e.g., b.i.d., t.i.d., Roman numerals), abbreviations, medical terminology, and symbols for days supply, quantity, dose, concentration, dilutions

52. Change the following mixed numbers to improper fractions:

$$5 \frac{15}{16} = \underline{\hspace{2cm}}.$$

- a. $\frac{23}{4}$
- b. $\frac{84}{16}$
- c. $\frac{95}{16}$
- d. $\frac{124}{16}$

ANS: C

$16 \times 5 = 80 + 15 = 95/16$.

DIF: Application

OBJ: ASHP Objective: 2.6 (Applying) Perform mathematical calculations essential to the duties of pharmacy technicians in a variety of settings.

MSC: PTCB Blueprint: 4.2 Formulas, calculations, ratios, proportions, alligations, conversions, Sig codes (e.g., b.i.d., t.i.d., Roman numerals), abbreviations, medical terminology, and symbols for days supply, quantity, dose, concentration, dilutions

53. Change the following mixed numbers to improper fractions:

$5 \frac{3}{4} = \underline{\hspace{2cm}}$.

- a. $\frac{53}{4}$
- b. $\frac{15}{4}$
- c. $\frac{23}{4}$
- d. $\frac{1}{2}$

ANS: C

$4 \times 5 = 20 + 3 = \frac{23}{4}$.

DIF: Application

OBJ: ASHP Objective: 2.6 (Applying) Perform mathematical calculations essential to the duties of pharmacy technicians in a variety of settings.

MSC: PTCB Blueprint: 4.2 Formulas, calculations, ratios, proportions, alligations, conversions, Sig codes (e.g., b.i.d., t.i.d., Roman numerals), abbreviations, medical terminology, and symbols for days supply, quantity, dose, concentration, dilutions

54. Change the following mixed numbers to improper fractions:

$8 \frac{1}{6} = \underline{\hspace{2cm}}$.

- a. $\frac{49}{6}$
- b. $\frac{17}{9}$
- c. $\frac{23}{5}$
- d. $\frac{9}{6}$

ANS: A

$6 \times 8 = 48 + 1 = \frac{49}{6}$.

DIF: Application

OBJ: ASHP Objective: 2.6 (Applying) Perform mathematical calculations essential to the duties of pharmacy technicians in a variety of settings.

MSC: PTCB Blueprint: 4.2 Formulas, calculations, ratios, proportions, alligations, conversions, Sig codes (e.g., b.i.d., t.i.d., Roman numerals), abbreviations, medical terminology, and symbols for days supply, quantity, dose, concentration, dilutions

55. Change the following mixed numbers to improper fractions:

$97 \frac{1}{10} = \underline{\hspace{2cm}}$.

- a. $\frac{65}{10}$
- b. $\frac{970}{10}$
- c. $\frac{971}{10}$
- d. $\frac{98}{10}$

ANS: C

$10 \times 97 = 970 + 1 = \frac{971}{10}$.

DIF: Application

OBJ: ASHP Objective: 2.6 (Applying) Perform mathematical calculations essential to the duties of pharmacy technicians in a variety of settings.

MSC: PTCB Blueprint: 4.2 Formulas, calculations, ratios, proportions, alligations, conversions, Sig codes (e.g., b.i.d., t.i.d., Roman numerals), abbreviations, medical terminology, and symbols for days supply, quantity, dose, concentration, dilutions

56. Convert the following fraction to a decimal:

$\frac{1}{2} = \underline{\hspace{2cm}}$.

- a. 0.5
- b. 1.5
- c. 0.25
- d. 0.333

ANS: A

$$1 \div 2 = 0.5.$$

DIF: Application

OBJ: ASHP Objective: 2.6 (Applying) Perform mathematical calculations essential to the duties of pharmacy technicians in a variety of settings.

MSC: PTCB Blueprint: 4.2 Formulas, calculations, ratios, proportions, alligations, conversions, Sig codes (e.g., b.i.d., t.i.d., Roman numerals), abbreviations, medical terminology, and symbols for days supply, quantity, dose, concentration, dilutions

57. Convert the following fractions to decimals:

$$2/3 = \underline{\hspace{2cm}}.$$

- a. 0.25
- b. 0.67
- c. 0.5
- d. 0.33

ANS: B

$$2 \div 3 = 0.6666\dots, \text{ which rounds to } 0.67.$$

DIF: Application

OBJ: ASHP Objective: 2.6 (Applying) Perform mathematical calculations essential to the duties of pharmacy technicians in a variety of settings.

MSC: PTCB Blueprint: 4.2 Formulas, calculations, ratios, proportions, alligations, conversions, Sig codes (e.g., b.i.d., t.i.d., Roman numerals), abbreviations, medical terminology, and symbols for days supply, quantity, dose, concentration, dilutions

58. Convert the following fractions to decimals:

$$3/4 = \underline{\hspace{2cm}}.$$

- a. 0.25
- b. 0.45
- c. 0.75
- d. 0.5

ANS: C

$$3 \div 4 = 0.75.$$

DIF: Application

OBJ: ASHP Objective: 2.6 (Applying) Perform mathematical calculations essential to the duties of pharmacy technicians in a variety of settings.

MSC: PTCB Blueprint: 4.2 Formulas, calculations, ratios, proportions, alligations, conversions, Sig codes (e.g., b.i.d., t.i.d., Roman numerals), abbreviations, medical terminology, and symbols for days supply, quantity, dose, concentration, dilutions

59. Convert the following fractions to decimals:

$$1 \frac{1}{2} = \underline{\hspace{2cm}}.$$

- a. 1.75
- b. 1.25

c. 1.33

d. 1.5

ANS: D

$$1 + 1 \div 2 = 1.5.$$

DIF: Application

OBJ: ASHP Objective: 2.6 (Applying) Perform mathematical calculations essential to the duties of pharmacy technicians in a variety of settings.

MSC: PTCB Blueprint: 4.2 Formulas, calculations, ratios, proportions, alligations, conversions, Sig codes (e.g., b.i.d., t.i.d., Roman numerals), abbreviations, medical terminology, and symbols for days supply, quantity, dose, concentration, dilutions

60. Convert the following fractions to decimals:

$$1/10 = \underline{\hspace{2cm}}.$$

a. 0.1

b. 0.8

c. 10.1

d. 0.01

ANS: A

$$1 \div 10 = 0.1.$$

DIF: Application

OBJ: ASHP Objective: 2.6 (Applying) Perform mathematical calculations essential to the duties of pharmacy technicians in a variety of settings.

MSC: PTCB Blueprint: 4.2 Formulas, calculations, ratios, proportions, alligations, conversions, Sig codes (e.g., b.i.d., t.i.d., Roman numerals), abbreviations, medical terminology, and symbols for days supply, quantity, dose, concentration, dilutions

61. Convert the following decimal to a fraction and reduce:

$$0.48 = \underline{\hspace{2cm}}.$$

a. 12/48

b. 1/2

c. 12/25

d. 1/5

ANS: C

$$48/100 \text{ divided by } 4/4 \text{ reduces to } 12/25.$$

DIF: Application

OBJ: ASHP Objective: 2.6 (Applying) Perform mathematical calculations essential to the duties of pharmacy technicians in a variety of settings.

MSC: PTCB Blueprint: 4.2 Formulas, calculations, ratios, proportions, alligations, conversions, Sig codes (e.g., b.i.d., t.i.d., Roman numerals), abbreviations, medical terminology, and symbols for days supply, quantity, dose, concentration, dilutions

62. Convert the following decimal to a fraction and reduce:

$$0.01 = \underline{\hspace{2cm}}.$$

a. 1/100

b. 1/10

c. 1/46

d. 2/200

ANS: A

$$1 \div 100 = 0.01.$$

DIF: Application

OBJ: ASHP Objective: 2.6 (Applying) Perform mathematical calculations essential to the duties of pharmacy technicians in a variety of settings.

MSC: PTCB Blueprint: 4.2 Formulas, calculations, ratios, proportions, alligations, conversions, Sig codes (e.g., b.i.d., t.i.d., Roman numerals), abbreviations, medical terminology, and symbols for days supply, quantity, dose, concentration, dilutions

63. Convert the following decimal to a fraction and reduce:

$$0.68 = \underline{\hspace{2cm}}.$$

- a. $1/5$
- b. $17/25$
- c. $13/25$
- d. $2/3$

ANS: B

$68/100$ divided by $4/4$ equals $17/25$.

DIF: Application

OBJ: ASHP Objective: 2.6 (Applying) Perform mathematical calculations essential to the duties of pharmacy technicians in a variety of settings.

MSC: PTCB Blueprint: 4.2 Formulas, calculations, ratios, proportions, alligations, conversions, Sig codes (e.g., b.i.d., t.i.d., Roman numerals), abbreviations, medical terminology, and symbols for days supply, quantity, dose, concentration, dilutions

64. Convert the following decimal to a fraction and reduce:

$$0.2 = \underline{\hspace{2cm}}.$$

- a. $1/5$
- b. $1/3$
- c. $2/20$
- d. $2/3$

ANS: A

$2/10$ divided by $2/2 = 1/5$.

DIF: Application

OBJ: ASHP Objective: 2.6 (Applying) Perform mathematical calculations essential to the duties of pharmacy technicians in a variety of settings.

MSC: PTCB Blueprint: 4.2 Formulas, calculations, ratios, proportions, alligations, conversions, Sig codes (e.g., b.i.d., t.i.d., Roman numerals), abbreviations, medical terminology, and symbols for days supply, quantity, dose, concentration, dilutions

65. Convert the following fraction to a percent.

$$1/6 = \underline{\hspace{2cm}}\%$$

- a. 16.67
- b. 33.32
- c. 26.12
- d. 19.12

ANS: A

1 divided by 6 times 100 rounds to 16.67% or
 $1/6 = x/100$.

DIF: Application

OBJ: ASHP Objective: 2.6 (Applying) Perform mathematical calculations essential to the duties of pharmacy technicians in a variety of settings.

MSC: PTCB Blueprint: 4.2 Formulas, calculations, ratios, proportions, alligations, conversions, Sig codes (e.g., b.i.d., t.i.d., Roman numerals), abbreviations, medical terminology, and symbols for days supply, quantity, dose, concentration, dilutions

66. Convert the following fraction to a percent.

$$3/8 = \underline{\hspace{2cm}}\%$$

- a. 32.9
- b. 37.5
- c. 23.4
- d. 42.1

ANS: B

$$3 \div 8 = 0.375 \cdot 100 = 37.5\% \text{ or } 3/8 = x/100.$$

DIF: Application

OBJ: ASHP Objective: 2.6 (Applying) Perform mathematical calculations essential to the duties of pharmacy technicians in a variety of settings.

MSC: PTCB Blueprint: 4.2 Formulas, calculations, ratios, proportions, alligations, conversions, Sig codes (e.g., b.i.d., t.i.d., Roman numerals), abbreviations, medical terminology, and symbols for days supply, quantity, dose, concentration, dilutions

67. Convert the following fraction to a percent.

$$1/3 = \underline{\hspace{2cm}}\%$$

- a. 66.6
- b. 33.3
- c. 25.0
- d. 73.5

ANS: B

$$1 \text{ divided by } 3 \text{ times } 100 \text{ rounds to } 33.3\%.$$

DIF: Application

OBJ: ASHP Objective: 2.6 (Applying) Perform mathematical calculations essential to the duties of pharmacy technicians in a variety of settings.

MSC: PTCB Blueprint: 4.2 Formulas, calculations, ratios, proportions, alligations, conversions, Sig codes (e.g., b.i.d., t.i.d., Roman numerals), abbreviations, medical terminology, and symbols for days supply, quantity, dose, concentration, dilutions

68. Convert the following fraction to a percent.

$$7/10 = \underline{\hspace{2cm}}\%$$

- a. 35
- b. 23
- c. 7
- d. 70

ANS: D

$$7/10 = x/100.$$

$$x = 70$$
$$70/100 = 70\%.$$

DIF: Application

OBJ: ASHP Objective: 2.6 (Applying) Perform mathematical calculations essential to the duties of pharmacy technicians in a variety of settings.

MSC: PTCB Blueprint: 4.2 Formulas, calculations, ratios, proportions, alligations, conversions, Sig codes (e.g., b.i.d., t.i.d., Roman numerals), abbreviations, medical terminology, and symbols for days supply, quantity, dose, concentration, dilutions

69. Convert the following fraction to a percent.

$$4 \frac{3}{5} = \underline{\hspace{2cm}}\%$$

- a. 460
- b. 333
- c. 125
- d. 75

ANS: A

$$(4 \times 100 = 400\%) + (3 \div 5 \times 100 = 60\%); 400\% + 60\% = 460\%.$$

DIF: Application

OBJ: ASHP Objective: 2.6 (Applying) Perform mathematical calculations essential to the duties of pharmacy technicians in a variety of settings.

MSC: PTCB Blueprint: 4.2 Formulas, calculations, ratios, proportions, alligations, conversions, Sig codes (e.g., b.i.d., t.i.d., Roman numerals), abbreviations, medical terminology, and symbols for days supply, quantity, dose, concentration, dilutions

70. Convert the following fraction to a percent.

$$7 \frac{1}{9} = \underline{\hspace{2cm}}\%$$

- a. 711.1
- b. 77.9
- c. 23.1
- d. 625.8

ANS: A

$$(7 \times 100 = 700\%) + (1 \div 9 \times 100 \text{ rounds to } 11.1\%); 700\% + 11.1\% = 711.1\%.$$

DIF: Application

OBJ: ASHP Objective: 2.6 (Applying) Perform mathematical calculations essential to the duties of pharmacy technicians in a variety of settings.

MSC: PTCB Blueprint: 4.2 Formulas, calculations, ratios, proportions, alligations, conversions, Sig codes (e.g., b.i.d., t.i.d., Roman numerals), abbreviations, medical terminology, and symbols for days supply, quantity, dose, concentration, dilutions

71. Convert the following fraction to a percent.

$$\frac{2}{3} = \underline{\hspace{2cm}}\%$$

- a. 53
- b. 67
- c. 83
- d. 75

ANS: B

2 divided by 3 times 100 rounds to 67%.

DIF: Application

OBJ: ASHP Objective: 2.6 (Applying) Perform mathematical calculations essential to the duties of pharmacy technicians in a variety of settings.

MSC: PTCB Blueprint: 4.2 Formulas, calculations, ratios, proportions, alligations, conversions, Sig codes (e.g., b.i.d., t.i.d., Roman numerals), abbreviations, medical terminology, and symbols for days supply, quantity, dose, concentration, dilutions

72. Convert the following fraction to a percent.

$$11/15 = \underline{\hspace{2cm}} \%$$

- a. 21.5
- b. 67.32
- c. 44.8
- d. 73.33

ANS: D

11 divided by 15 times 100 rounds to 73.33%.

DIF: Application

OBJ: ASHP Objective: 2.6 (Applying) Perform mathematical calculations essential to the duties of pharmacy technicians in a variety of settings.

MSC: PTCB Blueprint: 4.2 Formulas, calculations, ratios, proportions, alligations, conversions, Sig codes (e.g., b.i.d., t.i.d., Roman numerals), abbreviations, medical terminology, and symbols for days supply, quantity, dose, concentration, dilutions

73. Convert the following fraction to a percent.

$$3/5 = \underline{\hspace{2cm}} \%$$

- a. 60
- b. 24
- c. 35
- d. 78

ANS: A

3 divided by 5 times 100 equals 60% or $3/5 = x/100$.

DIF: Application

OBJ: ASHP Objective: 2.6 (Applying) Perform mathematical calculations essential to the duties of pharmacy technicians in a variety of settings.

MSC: PTCB Blueprint: 4.2 Formulas, calculations, ratios, proportions, alligations, conversions, Sig codes (e.g., b.i.d., t.i.d., Roman numerals), abbreviations, medical terminology, and symbols for days supply, quantity, dose, concentration, dilutions

74. Convert the following percent to a fraction.

$$2/3\% = \underline{\hspace{2cm}}.$$

- a. 1/150
- b. 4/17
- c. 1/25
- d. 2/3

ANS: A

$(2/3)/100$ is $2/3 \div 100$. Invert and multiply $2/3 \times 1/100 = 2/300 = 1/150$.

DIF: Application

OBJ: ASHP Objective: 2.6 (Applying) Perform mathematical calculations essential to the duties of pharmacy technicians in a variety of settings.

MSC: PTCB Blueprint: 4.2 Formulas, calculations, ratios, proportions, alligations, conversions, Sig codes (e.g., b.i.d., t.i.d., Roman numerals), abbreviations, medical terminology, and symbols for days supply, quantity, dose, concentration, dilutions

75. Convert the following percent to a fraction.

0.88% = _____.

- a. 11/1250
- b. 2/1577
- c. 1/47
- d. 5/333

ANS: A

$$0.88/100 \times 100/100 = 88/10,000 \div 8/8 = 11/1,250.$$

DIF: Application

OBJ: ASHP Objective: 2.6 (Applying) Perform mathematical calculations essential to the duties of pharmacy technicians in a variety of settings.

MSC: PTCB Blueprint: 4.2 Formulas, calculations, ratios, proportions, alligations, conversions, Sig codes (e.g., b.i.d., t.i.d., Roman numerals), abbreviations, medical terminology, and symbols for days supply, quantity, dose, concentration, dilutions

76. Convert the following percent to a fraction.

4 1/4% = _____.

- a. 12/17
- b. 25/674
- c. 17/400
- d. 3/5

ANS: C

$$(17/4)/100 = 17/4 \times 1/100 = 17/400.$$

DIF: Application

OBJ: ASHP Objective: 2.6 (Applying) Perform mathematical calculations essential to the duties of pharmacy technicians in a variety of settings.

MSC: PTCB Blueprint: 4.2 Formulas, calculations, ratios, proportions, alligations, conversions, Sig codes (e.g., b.i.d., t.i.d., Roman numerals), abbreviations, medical terminology, and symbols for days supply, quantity, dose, concentration, dilutions

77. Convert the following percent to a fraction.

0.55% = _____.

- a. 2/537
- b. 5/17
- c. 11/2000
- d. 21/3277

ANS: C

$$0.55/100 \times 100/100 = 55/10,000 \div 5/5 = 11/2,000.$$

DIF: Application

OBJ: ASHP Objective: 2.6 (Applying) Perform mathematical calculations essential to the duties of

pharmacy technicians in a variety of settings.

MSC: PTCB Blueprint: 4.2 Formulas, calculations, ratios, proportions, alligations, conversions, Sig codes (e.g., b.i.d., t.i.d., Roman numerals), abbreviations, medical terminology, and symbols for days supply, quantity, dose, concentration, dilutions

78. Convert the following percent to a fraction.

253% = _____.

- a. $2\frac{26}{100}$
- b. $\frac{1}{57}$
- c. $2\frac{4}{15}$
- d. $2\frac{53}{100}$

ANS: D

$253/100 = 2\frac{53}{100}$.

DIF: Application

OBJ: ASHP Objective: 2.6 (Applying) Perform mathematical calculations essential to the duties of pharmacy technicians in a variety of settings.

MSC: PTCB Blueprint: 4.2 Formulas, calculations, ratios, proportions, alligations, conversions, Sig codes (e.g., b.i.d., t.i.d., Roman numerals), abbreviations, medical terminology, and symbols for days supply, quantity, dose, concentration, dilutions

79. Convert the following percent to a fraction.

0.01% = _____.

- a. $\frac{1}{100}$
- b. $\frac{1}{10}$
- c. $\frac{1}{10,000}$
- d. $\frac{1}{1000}$

ANS: C

$0.01/100 \times 100/100 = 1/10,000$.

DIF: Application

OBJ: ASHP Objective: 2.6 (Applying) Perform mathematical calculations essential to the duties of pharmacy technicians in a variety of settings.

MSC: PTCB Blueprint: 4.2 Formulas, calculations, ratios, proportions, alligations, conversions, Sig codes (e.g., b.i.d., t.i.d., Roman numerals), abbreviations, medical terminology, and symbols for days supply, quantity, dose, concentration, dilutions

80. Convert the following percent to a decimal.

0.075% = _____.

- a. 0.075
- b. 0.00075
- c. 75
- d. 0.75

ANS: B

$0.075/100 \times 1,000/1,000 = 75/10,000 = 0.00075$
or $0.075 \div 100 = 0.00075$.

DIF: Application

OBJ: ASHP Objective: 2.6 (Applying) Perform mathematical calculations essential to the duties of pharmacy technicians in a variety of settings.

MSC: PTCB Blueprint: 4.2 Formulas, calculations, ratios, proportions, alligations, conversions, Sig codes (e.g., b.i.d., t.i.d., Roman numerals), abbreviations, medical terminology, and symbols for days supply, quantity, dose, concentration, dilutions

81. Convert the following percent to a decimal.

0.034% = _____.

- a. 0.0034
- b. 0.00034
- c. 34
- d. 3.4

ANS: B

$0.034 \div 100 = 0.00034$.

DIF: Application

OBJ: ASHP Objective: 2.6 (Applying) Perform mathematical calculations essential to the duties of pharmacy technicians in a variety of settings.

MSC: PTCB Blueprint: 4.2 Formulas, calculations, ratios, proportions, alligations, conversions, Sig codes (e.g., b.i.d., t.i.d., Roman numerals), abbreviations, medical terminology, and symbols for days supply, quantity, dose, concentration, dilutions

82. Convert the following percent to a decimal.

1.67% = _____.

- a. 1.67
- b. 0.00167
- c. 0.167
- d. 0.0167

ANS: D

$1.67 \div 100 = 0.0167$.

DIF: Application

OBJ: ASHP Objective: 2.6 (Applying) Perform mathematical calculations essential to the duties of pharmacy technicians in a variety of settings.

MSC: PTCB Blueprint: 4.2 Formulas, calculations, ratios, proportions, alligations, conversions, Sig codes (e.g., b.i.d., t.i.d., Roman numerals), abbreviations, medical terminology, and symbols for days supply, quantity, dose, concentration, dilutions

83. Convert the following decimal to a percent.

0.5 = _____.

- a. 500%
- b. 5%
- c. 0.5%
- d. 50%

ANS: D

$0.5 \times 100 = 50\%$.

DIF: Application

OBJ: ASHP Objective: 2.6 (Applying) Perform mathematical calculations essential to the duties of pharmacy technicians in a variety of settings.

MSC: PTCB Blueprint: 4.2 Formulas, calculations, ratios, proportions, alligations, conversions, Sig codes (e.g., b.i.d., t.i.d., Roman numerals), abbreviations, medical terminology, and symbols for days

supply, quantity, dose, concentration, dilutions

84. Convert the following decimal to a percent.

0.93 = _____.

- a. 93%
- b. 9.3%
- c. 0.93%
- d. 930%

ANS: A

$$0.93 \times 100 = 93\%.$$

DIF: Application

OBJ: ASHP Objective: 2.6 (Applying) Perform mathematical calculations essential to the duties of pharmacy technicians in a variety of settings.

MSC: PTCB Blueprint: 4.2 Formulas, calculations, ratios, proportions, alligations, conversions, Sig codes (e.g., b.i.d., t.i.d., Roman numerals), abbreviations, medical terminology, and symbols for days supply, quantity, dose, concentration, dilutions

85. Convert the following decimal to a percent.

1.5 = _____.

- a. .150%
- b. 1.5%
- c. 15%
- d. 150%

ANS: D

$$1.5 \times 100 = 150\%.$$

DIF: Application

OBJ: ASHP Objective: 2.6 (Applying) Perform mathematical calculations essential to the duties of pharmacy technicians in a variety of settings.

MSC: PTCB Blueprint: 4.2 Formulas, calculations, ratios, proportions, alligations, conversions, Sig codes (e.g., b.i.d., t.i.d., Roman numerals), abbreviations, medical terminology, and symbols for days supply, quantity, dose, concentration, dilutions

86. Convert the following decimal to a percent.

0.01 = _____.

- a. 1%
- b. 10%
- c. 0.01%
- d. 100%

ANS: A

$$0.01 \times 100 = 1\%.$$

DIF: Application

OBJ: ASHP Objective: 2.6 (Applying) Perform mathematical calculations essential to the duties of pharmacy technicians in a variety of settings.

MSC: PTCB Blueprint: 4.2 Formulas, calculations, ratios, proportions, alligations, conversions, Sig codes (e.g., b.i.d., t.i.d., Roman numerals), abbreviations, medical terminology, and symbols for days supply, quantity, dose, concentration, dilutions

87. Solve the following ratio and proportion.

gr 1/4:gr 1/8::gr 1:x

- a. $x = \text{gr } 1/8$
- b. $x = \text{gr } 5/3$
- c. $x = \text{gr } 2/3$
- d. $x = \text{gr } 1/2$

ANS: D

$$1/8 \times 1 \div 1/4 = 1/8 \times 4/1 = 4/8 = 1/2.$$

DIF: Application

OBJ: ASHP Objective: 2.6 (Applying) Perform mathematical calculations essential to the duties of pharmacy technicians in a variety of settings.

MSC: PTCB Blueprint: 4.2 Formulas, calculations, ratios, proportions, alligations, conversions, Sig codes (e.g., b.i.d., t.i.d., Roman numerals), abbreviations, medical terminology, and symbols for days supply, quantity, dose, concentration, dilutions

88. Solve the following ratio and proportion.

25 mg:x::50 mg:1 tab

- a. $x = 3/5 \text{ tab}$
- b. $x = 1/2 \text{ tab}$
- c. $x = 1 \text{ tab}$
- d. $x = 1 \frac{1}{2} \text{ tab}$

ANS: B

$$25 \times 1 \div 50 = 1/2.$$

DIF: Application

OBJ: ASHP Objective: 2.6 (Applying) Perform mathematical calculations essential to the duties of pharmacy technicians in a variety of settings.

MSC: PTCB Blueprint: 4.2 Formulas, calculations, ratios, proportions, alligations, conversions, Sig codes (e.g., b.i.d., t.i.d., Roman numerals), abbreviations, medical terminology, and symbols for days supply, quantity, dose, concentration, dilutions

89. Solve the following ratio and proportion.

30:45::5:x

- a. $x = 7.5$
- b. $x = 17.5$
- c. $x = 5.7$
- d. $x = 25$

ANS: A

$$45 \times 5 \div 30 = 7.5.$$

DIF: Application

OBJ: ASHP Objective: 2.6 (Applying) Perform mathematical calculations essential to the duties of pharmacy technicians in a variety of settings.

MSC: PTCB Blueprint: 4.2 Formulas, calculations, ratios, proportions, alligations, conversions, Sig codes (e.g., b.i.d., t.i.d., Roman numerals), abbreviations, medical terminology, and symbols for days supply, quantity, dose, concentration, dilutions

90. Solve the following ratio and proportion.

$$25/200 = x/40$$

- a. $x = 10$
- b. $x = 5$
- c. $x = 15$
- d. $x = 1$

ANS: B

$$200x = 1,000$$

$$x = 1,000 \div 200 = 5.$$

DIF: Application

OBJ: ASHP Objective: 2.6 (Applying) Perform mathematical calculations essential to the duties of pharmacy technicians in a variety of settings.

MSC: PTCB Blueprint: 4.2 Formulas, calculations, ratios, proportions, alligations, conversions, Sig codes (e.g., b.i.d., t.i.d., Roman numerals), abbreviations, medical terminology, and symbols for days supply, quantity, dose, concentration, dilutions

91. Solve the following ratio and proportion.

$$2.5/7.5 = x/12$$

- a. $x = 3.5$
- b. $x = 4$
- c. $x = 2.5$
- d. $x = 1$

ANS: B

$$2.5 \times 12 = 30$$

$$30 \div 7.5 = 4.$$

DIF: Application

OBJ: ASHP Objective: 2.6 (Applying) Perform mathematical calculations essential to the duties of pharmacy technicians in a variety of settings.

MSC: PTCB Blueprint: 4.2 Formulas, calculations, ratios, proportions, alligations, conversions, Sig codes (e.g., b.i.d., t.i.d., Roman numerals), abbreviations, medical terminology, and symbols for days supply, quantity, dose, concentration, dilutions

92. Solve the following ratio and proportion.

$$\$2/30 \text{ tabs} = x/45 \text{ tabs}$$

- a. $x = \$12$
- b. $x = \$2$
- c. $x = \$3$
- d. $x = \$5$

ANS: C

$$2 \times 45 = 90$$

$$90 \div 30 = 3.$$

DIF: Application

OBJ: ASHP Objective: 2.6 (Applying) Perform mathematical calculations essential to the duties of pharmacy technicians in a variety of settings.

MSC: PTCB Blueprint: 4.2 Formulas, calculations, ratios, proportions, alligations, conversions, Sig codes (e.g., b.i.d., t.i.d., Roman numerals), abbreviations, medical terminology, and symbols for days supply, quantity, dose, concentration, dilutions

93. Solve the following ratio and proportion.

$$15/75 = 100/x$$

- a. $x = 35$
- b. $x = 173$
- c. $x = 500$
- d. $x = 250$

ANS: C

$$75 \times 100 = 7,500$$

$$7,500 \div 15 = 500.$$

DIF: Application

OBJ: ASHP Objective: 2.6 (Applying) Perform mathematical calculations essential to the duties of pharmacy technicians in a variety of settings.

MSC: PTCB Blueprint: 4.2 Formulas, calculations, ratios, proportions, alligations, conversions, Sig codes (e.g., b.i.d., t.i.d., Roman numerals), abbreviations, medical terminology, and symbols for days supply, quantity, dose, concentration, dilutions

94. Solve the following ratio and proportion.

$$4/160 = x/100$$

- a. $x = 12.5$
- b. $x = 2.5$
- c. $x = 2$
- d. $x = 5.2$

ANS: B

$$4 \times 100 = 400$$

$$400 \div 160 = 2.5.$$

DIF: Application

OBJ: ASHP Objective: 2.6 (Applying) Perform mathematical calculations essential to the duties of pharmacy technicians in a variety of settings.

MSC: PTCB Blueprint: 4.2 Formulas, calculations, ratios, proportions, alligations, conversions, Sig codes (e.g., b.i.d., t.i.d., Roman numerals), abbreviations, medical terminology, and symbols for days supply, quantity, dose, concentration, dilutions

95. Solve the following ratio and proportion.

A patient has 10 mg scored (dividable) tablets and needs to take 25 mg per dose. How many tablets does she need for one dose?

- a. 1 tablet
- b. 2 1/2 tablets
- c. 1 1/2 tablets
- d. 3 1/2 tablets

ANS: B

$$10 \text{ mg}/1 \text{ tab} = 25 \text{ mg}/x$$

$$10x = 25$$

$$x = 2.5 \text{ or } 2 \frac{1}{2}.$$

DIF: Application

OBJ: ASHP Objective: 2.6 (Applying) Perform mathematical calculations essential to the duties of

pharmacy technicians in a variety of settings.

MSC: PTCB Blueprint: 4.2 Formulas, calculations, ratios, proportions, alligations, conversions, Sig codes (e.g., b.i.d., t.i.d., Roman numerals), abbreviations, medical terminology, and symbols for days supply, quantity, dose, concentration, dilutions