

Test Bank for Statistical Techniques in Business and Economics 19th Lind

Statistical Techniques in Business and Economics Edition 19

by Lind

CORRECT ANSWERS ARE LOCATED IN THE 2ND HALF OF THIS DOC.

TRUE/FALSE - Write 'T' if the statement is true and 'F' if the statement is false.

- 1) A frequency distribution is a grouping of quantitative data into overlapping classes showing the number of observations in each class.
 - ☐ true
 - ☐ false
- 2) A frequency table for qualitative data has class limits.
 - ☐ true
 - ☐ false
- 3) To summarize the majors of students attending a college, the number of classes in a frequency table depends on the number of students.
 - ☐ true
 - ☐ false
- 4) In frequency distributions, classes are mutually exclusive if each individual, object, or measurement is included in only one category.
 - ☐ true
 - ☐ false
- 5) In a bar chart, the horizontal axis is usually labeled with the classes of a qualitative variable.
 - ☐ true
 - ☐ false
- 6) In a bar chart, the heights of the bars represent the frequencies in each class.
 - ☐ true
 - ☐ false
- 7) The midpoint of a class is halfway between the lower and upper limits.
 - ☐ true
 - ☐ false
- 8) A class interval can be determined by subtracting the lower limit of a class from the lower limit of the next higher class.
 - ☐ true
 - ☐ false

TBEXAM.COM

Statistical Techniques in Business and Economics Edition 19

by Lind

9) To convert a frequency distribution to a relative frequency distribution, divide each class frequency by the sum of the class frequencies.

- ☐ true
- ☐ false

10) To convert a frequency distribution to a relative frequency distribution, divide each class frequency by the number of classes.

- ☐ true
- ☐ false

11) A pie chart is similar to a relative frequency distribution.

- ☐ true
- ☐ false

12) A pie chart shows the relative frequency in each class.

- ☐ true
- ☐ false

13) To construct a pie chart, relative class frequencies are used to graph the "slices" of the pie.

- ☐ true
- ☐ false

TBEXAM.COM

14) A cumulative frequency distribution is used when we want to determine how many observations lie above or below certain values.

- ☐ true
- ☐ false

15) A frequency polygon is a very useful graphic technique when comparing two or more distributions.

- ☐ true
- ☐ false

16) A cumulative frequency polygon uses the class midpoints for the coordinates on the horizontal axis.

- ☐ true
- ☐ false

Statistical Techniques in Business and Economics Edition 19

by Lind

- 17) Histograms are used to graphically represent qualitative data.
- ☐ true
 - ☐ false
- 18) Frequency polygons depict the data from a frequency distribution using the class midpoints for the horizontal axis coordinates and the class frequencies for the vertical axis coordinates.
- ☐ true
 - ☐ false
- 19) A frequency table showing a count of employees by geographic region should also include a cumulative frequency.
- ☐ true
 - ☐ false
- 20) A frequency table which lists all types of soup sold in a diner would be collectively exhaustive because no cup of soup sold is excluded.
- ☐ true
 - ☐ false

MULTIPLE CHOICE - Choose the one alternative that best completes the statement or answers the question.

- 21) Monthly commissions of first-year insurance brokers are \$1,270, \$1,310, \$1,680, \$1,380, \$1,410, \$1,570, \$1,180, and \$1,420. These figures are referred to as
- A) a histogram.
 - B) raw data.
 - C) a frequency distribution.
 - D) a frequency polygon.
- 22) A small sample of computer operators shows monthly incomes of \$1,950, \$1,775, \$2,060, \$1,840, \$1,795, \$1,890, \$1,925, and \$1,810. What are these ungrouped numbers called?
- A) Histograms
 - B) Class limits
 - C) Class frequencies
 - D) Raw data

Statistical Techniques in Business and Economics Edition 19 by Lind

- 23) When data are collected using a quantitative, ratio variable, what is true about a frequency distribution that summarizes the data?
- A) Upper and lower class limits must be calculated.
 - B) A pie chart can be used to summarize the data.
 - C) The number of classes is equal to the number of variable values.
 - D) The "5 to the k rule" can be applied.
- 24) When data are collected using a qualitative, nominal variable, what is true about a frequency table that summarizes the data?
- A) The upper and lower class limits must be calculated.
 - B) A pie chart can be used to summarize the data.
 - C) The number of classes is equal to the number of variable's values plus 2.
 - D) The "5 to the k rule" can be applied.
- 25) When data are collected using a qualitative, nominal variable (e.g., drink sizes like small, medium, or large), what is true about a frequency table that summarizes the data?
- A) The upper and lower class limits must be calculated.
 - B) Class midpoints can be computed.
 - C) The number of classes corresponds to the number of a variable's values.
 - D) The "2 to the k rule" can be applied.
- 26) A student was interested in the cigarette-smoking habits of college students and collected data from an unbiased random sample of students. The data are summarized in the following table.
- | | |
|---------------------------------|----|
| Males | 50 |
| Females | 75 |
| Males who smoke | 10 |
| Males who do not smoke | 40 |
| Females who smoke | 15 |
| Females who do not smoke | 60 |
- What is wrong with this frequency table?
- A) The number of males does not equal the sum of males that smoke and do not smoke.
 - B) The classes are not mutually exclusive.
 - C) There are too many classes.
 - D) Class limits cannot be computed.

Statistical Techniques in Business and Economics Edition 19

by Lind

- 27) A student was interested in the cigarette-smoking habits of college students and collected data from an unbiased random sample of students. The data are summarized in the following table.

Males who smoke	10
Males who do not smoke	40
Females who smoke	15
Females who do not smoke	60

What type of chart best represents the frequency table?

- A) Bar chart
- B) Box plot
- C) Scatterplot
- D) Frequency polygon

- 28) A student was interested in the cigarette-smoking habits of college students and collected data from an unbiased random sample of students. The data are summarized in the following table.

Males who smoke	10
Males who do not smoke	40
Females who smoke	15
Females who do not smoke	60

What type of chart best represents the relative class frequencies?

- A) Box plot
- B) Pie chart
- C) Scatterplot
- D) Frequency polygon

- 29) When a class interval is expressed as 100 up to 200,

- A) observations with values of 100 are excluded from the class.
- B) observations with values of 200 are included in the class.
- C) observations with values of 200 are excluded from the class.
- D) the class interval is 99.

- 30) For a relative frequency distribution, relative frequency is computed as

- A) the class width divided by the class interval.
- B) the class midpoint divided by the class frequency.
- C) the class frequency divided by the class interval.
- D) the class frequency divided by the number of observations.

Statistical Techniques in Business and Economics Edition 19

by Lind

- 31) The relative frequency for a class represents the
- A) class width.
 - B) class midpoint.
 - C) class interval.
 - D) percentage of observations in the class.
- 32) A group of 100 students was surveyed about their interest in a new International Studies program. Interest was measured in terms of high, medium, or low. In the study, 30 students responded high interest, 40 students responded medium interest, and 30 students responded low interest. What is the relative frequency of students with high interest?
- A) 0.30
 - B) 0.50
 - C) 0.40
 - D) 0.030
- 33) A group of 100 students were surveyed about their interest in a new Economics major. Interest was measured in terms of high, medium, or low. In the study, 30 students responded high interest, 50 students responded medium interest, and 20 students responded low interest. What is the best way to illustrate the relative frequency of student interest?
- A) Use a cumulative frequency polygon.
 - B) Use a box plot.
 - C) Use a pie chart.
 - D) Use a frequency table.
- 34) The monthly salaries of a sample of 100 employees were rounded to the nearest \$10. They ranged from a low of \$1,040 to a high of \$1,720. If we want to condense the data into seven classes, what is the most convenient class interval?
- A) \$50
 - B) \$100
 - C) \$150
 - D) \$200
- 35) A student was studying the political party preferences of a university's student population. The survey instrument asked students to identify themselves as a Democrat or a Republican. This question is flawed because
- A) students generally do not know their political preferences.
 - B) the categories are generally mutually exclusive.
 - C) the categories are not exhaustive.
 - D) political preference is a continuous variable.

Statistical Techniques in Business and Economics Edition 19

by Lind

36) A student was studying the political party preferences of a university's student population. The survey instrument asked students to identify their political preferences—for example, Democrat, Republican, Libertarian, or another party. The best way to illustrate the frequencies for each political preference is a

- A) bar chart.
- B) box plot.
- C) histogram.
- D) frequency polygon.

37) A student was studying the political party preferences of a university's student population. The survey instrument asked students to identify their political preferences—for example, Democrat, Republican, Libertarian, or another party. The best way to illustrate the relative frequency distribution is a

- A) bar chart.
- B) pie chart.
- C) histogram.
- D) frequency polygon.

38) What is the following table called?

Ages	Number of people
20 up to 30	16
30 up to 40	25
40 up to 50	51
50 up to 60	80
60 up to 70	20
70 up to 80	8

- A) Histogram
- B) Frequency polygon
- C) Cumulative frequency distribution
- D) Frequency distribution

39) For the following distribution of heights, what are the limits for the class with the greatest frequency?

Heights	60" up to 65"	65" up to 70"	70" up to 75"
Frequency	10	70	20

- A) 64 and up to 70
- B) 65 and 69
- C) 65 and up to 70
- D) 69.5 and 74.5

Statistical Techniques in Business and Economics Edition 19

by Lind

- 40) In a frequency distribution, the number of observations in a class is called the class
- A) midpoint.
 - B) interval.
 - C) array.
 - D) frequency.
- 41) Why are unequal class intervals sometimes used in a frequency distribution?
- A) To avoid a large number of classes with very small frequencies
 - B) For the sake of variety in presenting the data
 - C) To make the class frequencies smaller
 - D) To avoid the need for midpoints
- 42) The number of employees less than the upper limit of each class at Lloyd's Fast Food Emporium is shown in the following table.

Ages	Cumulative Number
18 up to 23	6
23 up to 28	19
28 up to 33	52
33 up to 38	61
38 up to 43	65

What is the table called?

- A) A histogram
 - B) A cumulative frequency distribution
 - C) A pie chart
 - D) A frequency polygon
- 43) Here is a sample distribution of hourly earnings in Paul's Cookie Factory.
- | | | | |
|-----------------------|---------------|----------------|-----------------|
| Hourly Earning | \$6 up to \$9 | \$9 up to \$12 | \$12 up to \$15 |
| Frequency | 16 | 42 | 10 |
- The limits of the class with the smallest frequency are
- A) \$6.00 and \$9.00.
 - B) \$12.00 and up to \$14.00.
 - C) \$11.75 and \$14.25.
 - D) \$12.00 and up to \$15.00.

Statistical Techniques in Business and Economics Edition 19 by Lind

44) Refer to the following distribution of commissions.

Monthly Commissions	Class Frequencies
\$600 up to \$800	3
800 up to 1,000	7
1,000 up to 1,200	11
1,200 up to 1,400	12
1,400 up to 1,600	40
1,600 up to 1,800	24
1,800 up to 2,000	9
2,000 up to 2,200	4

What is the relative frequency for salespeople who earn from \$1,600 up to \$1,800?

- A) 0.020
- B) 0.024
- C) 0.218
- D) 0.240

45) Refer to the following distribution of commissions.

Monthly Commissions	Class Frequencies
\$600 up to \$800	3
800 up to 1,000	7
1,000 up to 1,200	11
1,200 up to 1,400	12
1,400 up to 1,600	40
1,600 up to 1,800	24
1,800 up to 2,000	9
2,000 up to 2,200	4

To plot a cumulative frequency distribution, the first coordinate would be

- A) $X = 0, Y = 600$.
- B) $X = 500, Y = 3$.
- C) $X = 3, Y = 600$.
- D) $X = 600, Y = 0$.

Statistical Techniques in Business and Economics Edition 19 by Lind

46) Refer to the following distribution of commissions.

Monthly Commissions	Class Frequencies
\$600 up to \$800	3
800 up to 1,000	7
1,000 up to 1,200	11
1,200 up to 1,400	22
1,400 up to 1,600	40
1,600 up to 1,800	24
1,800 up to 2,000	9
2,000 up to 2,200	4

What is the relative frequency of salespeople who earn \$1,600 or more?

- A) 25.5%
- B) 27.5%
- C) 29.5%
- D) 30.8%

47) Refer to the following distribution of commissions.

Monthly Commissions	Class Frequencies
\$600 up to \$800	3
800 up to 1,000	7
1,000 up to 1,200	11
1,200 up to 1,400	12
1,400 up to 1,600	40
1,600 up to 1,800	24
1,800 up to 2,000	9
2,000 up to 2,200	4

For the preceding distribution, what is the midpoint of the class with the greatest frequency?

- A) \$1,400
- B) \$1,500
- C) \$1,700
- D) The midpoint cannot be determined.

Statistical Techniques in Business and Economics Edition 19 by Lind

48) Refer to the following distribution of commissions.

Monthly Commissions	Class Frequencies
\$600 up to \$800	3
800 up to 1,000	7
1,000 up to 1,200	11
1,200 up to 1,400	12
1,400 up to 1,600	40
1,600 up to 1,800	24
1,800 up to 2,000	9
2,000 up to 2,200	4

What is the class interval?

- A) \$200
- B) \$300
- C) \$3,500
- D) \$400

49) Refer to the following wage breakdown for a garment factory.

Hourly Wages	Number of Employees
\$4 up to \$7	18
7 up to 10	36
10 up to 13	20
13 up to 16	6

What is the class interval for the preceding table of wages?

- A) \$2
- B) \$3
- C) \$4
- D) \$5

Statistical Techniques in Business and Economics Edition 19

by Lind

50) Refer to the following wage breakdown for a garment factory.

Hourly Wages	Number of Employees
\$6 up to \$7	18
7 up to 10	36
10 up to 13	20
13 up to 16	6

What is the class midpoint for the class with the greatest frequency?

- A) \$5.50
- B) \$8.50
- C) \$11.50
- D) \$14.50

51) Refer to the following wage breakdown for a garment factory.

Hourly Wages	Number of Employees
\$4 up to \$7	18
7 up to 10	36
10 up to 13	20
13 up to 16	6

What are the class limits for the class with the smallest frequency?

- A) \$3.5 and \$6.5
- B) \$4 and up to \$7
- C) \$13 and up to \$16
- D) \$12.5 and \$15.5

52) Refer to the following distribution of ages.

Ages	Frequency
40 up to 50	10
50 up to 60	28
60 up to 70	12

For this distribution of ages, what is the relative class frequency for the lowest class?

- A) 0.50
- B) 0.18
- C) 0.20
- D) 0.10

Statistical Techniques in Business and Economics Edition 19

by Lind

53) Refer to the following distribution of ages.

Ages	Frequency
40 up to 50	10
50 up to 60	28
60 up to 70	12

What is the class interval?

- A) 9
- B) 10
- C) 10.5
- D) 11

54) Refer to the following distribution of ages.

Ages	Frequency
40 up to 50	10
50 up to 60	28
60 up to 70	12

What is the class midpoint of the highest class?

- A) 54
- B) 55
- C) 64
- D) 65

TBEXAM.COM

55) Refer to the following information from a frequency distribution for heights of college women recorded to the nearest inch: the first two class midpoints are 62.5" and 65.5". What is the class interval?

- A) 1"
- B) 2"
- C) 2.5"
- D) 3"

56) Refer to the following information from a frequency distribution for heights of college women recorded to the nearest inch: the first two class midpoints are 63.5" and 66.5". What are the class limits for the lowest class?

- A) 62" and up to 65"
- B) 63" and up to 65"
- C) 63" and 66"
- D) 63" and 64"

Statistical Techniques in Business and Economics Edition 19

by Lind

- 57) Refer to the following information from a frequency distribution for heights of college women recorded to the nearest inch: the first two class midpoints are 62.5" and 65.5". What are the class limits for the lowest class?
- A) 61" and up to 64"
 - B) 62" and up to 64"
 - C) 62" and 65"
 - D) 62" and 63"
- 58) Refer to the following information from a frequency distribution for heights of college women recorded to the nearest inch: the first two class midpoints are 67.5" and 70.5". What are the class limits for the third class?
- A) 69" and up to 72"
 - B) 72" and 74"
 - C) 72" and up to 75"
 - D) 71" and 73"
- 59) Refer to the following information from a frequency distribution for heights of college women recorded to the nearest inch: the first two class midpoints are 62.5" and 65.5". What are the class limits for the third class?
- A) 64" and up to 67"
 - B) 67" and 69"
 - C) 67" and up to 70"
 - D) 66" and 68"

- 60) Refer to the following distribution:

Cost of Textbooks	Frequency
\$25 up to \$35	3
35 up to 45	13
45 up to 55	20
55 up to 65	16
65 up to 75	8

What is the relative class frequency for the \$25 up to \$35 class?

- A) 0.06
- B) 0.05
- C) 0.03
- D) 0.11

Statistical Techniques in Business and Economics Edition 19

by Lind

61) Refer to the following distribution:

Cost of Textbooks	Frequency
\$25 up to \$35	2
35 up to 45	5
45 up to 55	7
55 up to 65	20
65 up to 75	16

What is the relative class frequency for the \$25 up to \$35 class?

- A) 0.02
- B) 0.04
- C) 0.05
- D) 0.10

62) Refer to the following distribution:

Cost of Textbooks	Frequency
\$32 up to \$42	2
42 up to 52	5
52 up to 62	7
62 up to 72	20
72 up to 82	16

What is the class midpoint for the \$52 up to \$62 class?

- A) \$56.00
- B) \$57.00
- C) \$56.50
- D) \$57.50

63) Refer to the following distribution:

Cost of Textbooks	Frequency
\$25 up to \$35	2
35 up to 45	5
45 up to 55	7
55 up to 65	20
65 up to 75	16

What is the class midpoint for the \$45 up to \$55 class?

- A) \$49
- B) \$49.5
- C) \$50
- D) \$50.5

Statistical Techniques in Business and Economics Edition 19 by Lind

64) Refer to the following distribution:

Cost of Textbooks	Frequency
\$25 up to \$35	12
35 up to 45	14
45 up to 55	6
55 up to 65	8
65 up to 75	20

What are the class limits for the class with the highest frequency?

- A) \$64 up to \$74
- B) \$65 up to \$74
- C) \$65 up to \$74.5
- D) \$65 up to \$75

65) Refer to the following distribution:

Cost of Textbooks	Frequency
\$25 up to \$35	2
35 up to 45	5
45 up to 55	7
55 up to 65	20
65 up to 75	16

What are the class limits for the class with the highest frequency?

- A) \$55 up to \$64
- B) \$54 up to \$64
- C) \$55 up to \$65
- D) \$55 up to \$64.5

66) Refer to the following frequency distribution of days absent during a calendar year by employees of a manufacturing company:

Days Absent	Number of Employees
0 up to 3	37
3 up to 6	54
6 up to 9	47
9 up to 12	21
12 up to 15	50

How many employees were absent for 3 up to 6 days?

- A) 47
- B) 62
- C) 50
- D) 54

Statistical Techniques in Business and Economics Edition 19 by Lind

67) Refer to the following frequency distribution of days absent during a calendar year by employees of a manufacturing company:

Days Absent	Number of Employees
0 up to 3	60
3 up to 6	31
6 up to 9	14
9 up to 12	6
12 up to 15	2

How many employees were absent for 3 up to 6 days?

- A) 31
- B) 29
- C) 14
- D) 2

68) Refer to the following frequency distribution of days absent during a calendar year by employees of a manufacturing company:

Days Absent	Number of Employees
0 up to 3	9
3 up to 6	56
6 up to 9	25
9 up to 12	31
12 up to 15	4

How many employees were absent for fewer than six days?

- A) 65
- B) 71
- C) 9
- D) 56

Statistical Techniques in Business and Economics Edition 19 by Lind

69) Refer to the following frequency distribution of days absent during a calendar year by employees of a manufacturing company:

Days Absent	Number of Employees
0 up to 3	60
3 up to 6	31
6 up to 9	14
9 up to 12	6
12 up to 15	2

How many employees were absent for fewer than six days?

- A) 60
- B) 31
- C) 91
- D) 46

70) Refer to the following frequency distribution of days absent during a calendar year by employees of a manufacturing company:

Days Absent	Number of Employees
0 up to 3	4
3 up to 6	39
6 up to 9	45
9 up to 12	51
12 up to 15	22

How many employees were absent for six or more days?

- A) 118
- B) 49
- C) 39
- D) 73

Statistical Techniques in Business and Economics Edition 19 by Lind

71) Refer to the following frequency distribution of days absent during a calendar year by employees of a manufacturing company:

Days Absent	Number of Employees
0 up to 3	60
3 up to 6	31
6 up to 9	14
9 up to 12	6
12 up to 15	2

How many employees were absent for six or more days?

- A) 8
- B) 4
- C) 22
- D) 31

72) Refer to the following frequency distribution of days absent during a calendar year by employees of a manufacturing company:

Days Absent	Number of Employees
0 up to 3	23
3 up to 6	40
6 up to 9	9
9 up to 12	20
12 up to 15	28

How many employees were absent for 6 up to 12 days?

- A) 29
- B) 48
- C) 7
- D) 12

Statistical Techniques in Business and Economics Edition 19 by Lind

73) Refer to the following frequency distribution of days absent during a calendar year by employees of a manufacturing company:

Days Absent	Number of Employees
0 up to 3	60
3 up to 6	31
6 up to 9	14
9 up to 12	6
12 up to 15	2

How many employees were absent for 6 up to 12 days?

- A) 20
- B) 8
- C) 12
- D) 17

74) Refer to the following breakdown of responses to a survey of room service in a hotel.

Response	Frequency
Not satisfied	20
Satisfied	40
Highly satisfied	60

What is the class interval for this frequency table?

- A) 10
- B) 20
- C) 40
- D) None apply

75) Refer to the following breakdown of responses to a survey of room service in a hotel.

Response	Frequency
Not satisfied	20
Satisfied	40
Highly satisfied	60

What is the class with the greatest frequency?

- A) Not satisfied
- B) Satisfied
- C) Highly satisfied
- D) None apply

Statistical Techniques in Business and Economics Edition 19 by Lind

76) Refer to the following breakdown of responses to a survey of room service in a hotel.

Response	Frequency
Not satisfied	50
Satisfied	40
Highly satisfied	30

What percentage of the responses indicated that customers were satisfied?

- A) 40%
- B) 100%
- C) 33%
- D) 25%

77) Refer to the following breakdown of responses to a survey of room service in a hotel.

Response	Frequency
Not satisfied	20
Satisfied	40
Highly satisfied	60

What percentage of the responses indicated that customers were satisfied?

- A) 40%
- B) 33%
- C) 50%
- D) 100%

TBEXAM.COM

78) Refer to the following breakdown of responses to a survey of room service in a hotel.

Response	Frequency
Not satisfied	20
Satisfied	40
Highly satisfied	60

What type of chart should be used to describe the frequency table?

- A) A pie chart
- B) A bar chart
- C) A histogram
- D) A frequency polygon

Statistical Techniques in Business and Economics Edition 19 by Lind

79) Refer to the following breakdown of responses to a survey of room service in a hotel.

Response	Frequency
Not satisfied	20
Satisfied	40
Highly satisfied	60

What type of chart should be used to show relative class frequencies?

- A) A pie chart
- B) A bar chart
- C) A histogram
- D) A frequency polygon

80) Refer to the following breakdown of responses to a survey of "Are you concerned about being tracked while connected to the Internet?"

Response	Frequency
Very concerned	140
Somewhat concerned	40
No concern	20

What is the class interval for the preceding frequency table?

- A) 10
- B) 20
- C) 40
- D) None apply

TBEXAM.COM

81) Refer to the following breakdown of responses to a survey of "Are you concerned about being tracked while connected to the Internet?"

Response	Frequency
Very concerned	140
Somewhat concerned	40
No concern	20

What is the class with the greatest frequency?

- A) Very concerned
- B) Somewhat concerned
- C) No concern
- D) None apply

Statistical Techniques in Business and Economics Edition 19 by Lind

82) Refer to the following breakdown of responses to a survey of "Are you concerned about being tracked while connected to the internet?"

Response	Frequency
Very concerned	100
Somewhat concerned	40
No concern	120

What percentage of the responses indicated that users were somewhat concerned?

- A) 15%
- B) 50%
- C) 40%
- D) 100%

83) Refer to the following breakdown of responses to a survey of "Are you concerned about being tracked while connected to the internet?:"

Response	Frequency
Very concerned	140
Somewhat concerned	40
No concern	20

What percentage of the responses indicated that users were somewhat concerned?

- A) 40%
- B) 70%
- C) 20%
- D) 100%

TBEXAM.COM

84) Refer to the following breakdown of responses to a survey of "Are you concerned about being tracked while connected to the internet?"

Response	Frequency
Very concerned	140
Somewhat concerned	40
No concern	20

What type of chart should be used to describe the frequency table?

- A) A pie chart
- B) A bar chart
- C) A histogram
- D) A frequency polygon

Statistical Techniques in Business and Economics Edition 19 by Lind

85) Refer to the following breakdown of responses to a survey of "Are you concerned about being tracked while connected to the internet?"

Response	Frequency
Very concerned	140
Somewhat concerned	40
No concern	20

What type of chart should be used to show relative class frequencies?

- A) A pie chart
- B) A bar chart
- C) A histogram
- D) A frequency polygon

86) Refer to the following breakdown of responses to a survey of "How confident are you that you saved enough to retire?"

Response	Frequency
Very confident	63
Somewhat confident	135
Not very confident	99
Don't know	3

What is the class interval for the preceding frequency table?

- A) 10
- B) 20
- C) 40
- D) None apply

87) Refer to the following breakdown of responses to a survey of "How confident are you that you saved enough to retire?"

Response	Frequency
Very confident	63
Somewhat confident	135
Not very confident	99
Don't know	3

What is the class with the greatest frequency?

- A) Very confident
- B) Somewhat confident
- C) Not very confident
- D) Don't know

Statistical Techniques in Business and Economics Edition 19 by Lind

88) Refer to the following breakdown of responses to a survey of "How confident are you that you saved enough to retire?"

Response	Frequency
Very confident	87
Somewhat confident	27
Not very confident	64
Don't know	122

What percentage of the responses indicated that users were very confident?

- A) 87%
- B) 9%
- C) 41%
- D) 29%

89) Refer to the following breakdown of responses to a survey of "How confident are you that you saved enough to retire?":

Response	Frequency
Very confident	63
Somewhat confident	135
Not very confident	99
Don't know	3

What percentage of the responses indicated that users were very confident?

- A) 63%
- B) 21%
- C) 45%
- D) 33%

90) Refer to the following breakdown of responses to a survey of "How confident are you that you saved enough to retire?"

Response	Frequency
Very confident	63
Somewhat confident	135
Not very confident	99
Don't know	3

What type of chart should be used to describe the frequency table?

- A) A pie chart
- B) A bar chart
- C) A histogram
- D) A frequency polygon

Statistical Techniques in Business and Economics Edition 19 by Lind

91) Refer to the following breakdown of responses to a survey of "How confident are you that you saved enough to retire?"

Response	Frequency
Very confident	63
Somewhat confident	135
Not very confident	99
Don't know	3

What type of chart should be used to show relative class frequencies?

- A) A pie chart
 - B) A bar chart
 - C) A histogram
 - D) A frequency polygon
- 92) A pie chart shows the
- A) relative frequencies of a qualitative variable.
 - B) relative frequencies of a quantitative variable.
 - C) frequencies of a nominal variable.
 - D) frequencies of a ratio variable.
- 93) A table summarizing a set of data showing the fraction of the total number of items in several classes is a
- A) relative frequency table.
 - B) frequency table.
 - C) normal frequency table.
 - D) cumulative frequency table.
- 94) In order to convert class frequency to relative class frequency, we
- A) divide the midpoint of the class by the sample size.
 - B) divide the frequency of the class by the midpoint.
 - C) divide the sample size by the frequency of the class.
 - D) divide the frequency of the class by the sample size.
- 95) In constructing a frequency distribution, the approximate class interval is computed as
- A) (maximum value – minimum value)/(number of classes).
 - B) (maximum value – minimum value)/(sample size).
 - C) (minimum value – maximum value)/(sample size).
 - D) (maximum value)/(number of classes – sample size).

Statistical Techniques in Business and Economics Edition 19

by Lind

- 96) What is the difference between a histogram and a bar chart?
- A) There is no difference. Histograms and bar charts are interchangeable.
 - B) A histogram is used to display quantitative data and a bar chart is used to display qualitative data.
 - C) Histograms have distinct gaps between the bars and bar charts have no gaps between the bars.
 - D) Histograms are used to display categorical data, while bar charts are used to display numerical data.
- 97) Which of the following statements about histograms is true?
- A) A histogram is used to display qualitative data.
 - B) A histogram has gaps between the bars.
 - C) The heights of the bars represent relative class frequencies.
 - D) The bars are drawn adjacent to each other because the data is continuous.
- 98) Which of the following statements about histograms is true?
- A) Histograms are used to display discrete numerical data.
 - B) A histogram has gaps between the bars.
 - C) The heights of the bars represent class frequencies.
 - D) Histograms are used to display qualitative, categorical data.
- 99) Which of the following statements about frequency polygons is true?
- A) Frequency polygons do not show the shape of a distribution.
 - B) A frequency polygon is a graph of a bar chart.
 - C) The frequencies of each class are graphed at the midpoint of each class.
 - D) Frequency polygons represent each class as a rectangle.
- 100) Which of the following statements about frequency polygons is *FALSE*?
- A) Frequency polygons allow us to directly compare two or more frequency distributions.
 - B) A frequency polygon is a graph of a frequency distribution.
 - C) The frequencies of each class are graphed at the midpoint of each class.
 - D) Frequency polygons do not show the shape of a distribution.

Statistical Techniques in Business and Economics Edition 19 by Lind

- 101) Taylor Simmons owns an online store that sells small appliance parts. Taylor wishes to see the percentage of sales revenue earned that less than a particular amount for various parts sold in her shop. What type of display should Taylor use for each part type?
- A) Pie charts
 - B) Histograms
 - C) Cumulative frequency polygons
 - D) Frequency polygons

TBEXAM.COM

Statistical Techniques in Business and Economics Edition 19

by Lind

Answer Key

Test name: Chapter 02

1) FALSE

Classes in a frequency distribution may not overlap and must be mutually exclusive.

2) FALSE

Qualitative data are not numeric, so there cannot be class limits.

3) FALSE

The student's major is a nominal, qualitative variable with many values. Therefore, the number of classes will be equal to the number of majors.

4) TRUE

This is the definition of the term mutually exclusive.

5) TRUE

Bar charts set up with vertical bars will put the qualitative variable on the horizontal axis, while the frequency or counts will be on the vertical axis.

6) TRUE

Bar charts set up with vertical bars will put the quantitative variable on the horizontal axis, while the frequency or counts will be on the vertical axis.

7) TRUE

The midpoint is the center of each class. To find it, you add the lower and upper limits and divide by two.

8) TRUE

This is how one determines the class interval. One can also determine the class interval by subtracting the class midpoints from one class to the next class.

9) TRUE

Relative frequency is the class frequency divided by the sum or total of the class frequencies.

10) FALSE

Relative frequencies are computed by dividing class frequencies by the total of the class frequencies.

Statistical Techniques in Business and Economics Edition 19

by Lind

11) TRUE

Pie charts are essentially visual representations of relative frequencies: these charts show the percentage or proportion of each class relative to the total frequency.

12) TRUE

Pie charts are essentially visual representations of relative frequencies: these charts show the percentage or proportion of each class relative to the total frequency.

13) TRUE

Pie charts visually represent the percentage or proportion of each class relative to the total. Relative frequencies are found by dividing the frequency of each class divided by the total frequency, which makes it a percentage or proportion of that total.

14) TRUE

A cumulative frequency distribution shows the number of values below a given value. If we know how many lie below that value, we can use this information to determine how many lie above that value.

15) TRUE

This is a major advantage of using frequency polygons because you can place the graphs on top of each other, something you can't do with histograms.

16) FALSE

The class limits are used as the coordinates for a cumulative frequency polygon.

17) FALSE

Histograms require continuous quantitative data because the bars are adjacent to one another.

18) TRUE

The class limits are used as the coordinates for a cumulative frequency polygon.

19) FALSE

Geographic regions are nominal, qualitative variables with no relative ranking or rating to put them in an order, and as such, cannot be organized by cumulative frequencies.

20) TRUE

A frequency table is collectively exhaustive if all items are included in the table.

21) B

Statistical Techniques in Business and Economics Edition 19

by Lind

Histograms, frequency distributions, and frequency polygons all summarize data. The data in the question are individual observations or raw data that are not summarized.

22) D

Histograms and frequency distributions summarize data. The data in the question are individual observations or raw data that are not summarized.

23) A

The statements "a pie chart can be used to summarize the data" and "the number of classes is equal to the number of variable values" refer to frequency distributions for qualitative variables. For quantitative, ratio variables, the number of classes, the class interval, and class limits must be computed.

24) B

A pie chart is used to show the relative frequency for a qualitative, nominal, or ordinal variable. Class limits and rules for determining the number of classes apply to quantitative variables. To determine the number of classes for quantitative data, we use the 2 to the k rule (not the 5 to the k rule). With qualitative data, the number of classes is equal to the number of variables only.

25) C

Drink size is a nominal, qualitative variable that, in this example, has three values. Therefore, the frequency distribution will have only three classes: small, medium, and large.

26) B

In a frequency distribution, the classes must be mutually exclusive so that each data item can be assigned to only one class. In this example, the classes are not mutually exclusive because a female can be assigned to two classes: females, and females who smoke or females who do not smoke.

27) A

The variables are nominal and qualitative. The frequency table is best presented with a bar chart.

28) B

The variables are nominal and qualitative. Relative frequencies for a qualitative, nominal variable are best summarized with a pie chart.

29) C

Class intervals must be interpreted so they are mutually exclusive. The class interval, 100 up to 200, includes values equal to 100 and less than 200.

Statistical Techniques in Business and Economics Edition 19

by Lind

30) D

By definition, relative frequency is computed as class frequency divided by total frequency.

31) D

By definition, relative frequency is computed as class frequency divided by total frequency, which is a percentage of the total observations in a class.

32) A

For calculations, 30 of the 100 students have a high interest, or $30/100 = 0.30$.

33) C

Interest is a qualitative, ordinal variable. The relative frequencies for a qualitative, ordinal variable are best summarized with a pie chart.

34) B

$(\$1,720 - \$1,040)/7 = \$97.14$. Of the answer choices, a class interval of \$100 is closest to \$97.14.

35) C

The survey is not exhaustive because it does not include all possible party preferences, such as Independent or Libertarian.

36) A

Political preference is a qualitative, nominal variable. Frequencies for a qualitative, nominal variable are best presented with a bar chart.

37) B

Political preference is a qualitative, nominal variable. The relative frequencies for a qualitative, nominal variable are best summarized with a pie chart.

38) D

The table is not a graph, such as a histogram or a frequency polygon. The table shows the number of people in each class.

39) C

The frequency table has three classes with frequencies of 10, 70, and 20. The class 65" up to 70" corresponds with the greatest frequency of 70.

40) D

Statistical Techniques in Business and Economics Edition 19

by Lind

By definition, frequency is the number of observations in a class.

41) A

When constructing frequency distributions, sometimes there are extreme or outlier values. Therefore, there would be several classes with zero frequencies. To better summarize the data, a class would be created with extended limits that would include the classes with zero frequencies and all the outlier or extreme values.

42) B

The table shows the number of employees in each class or less. So, each class frequency is a cumulative total and the table is a cumulative frequency distribution.

43) D

The frequency table has three classes with frequencies of 16, 42, and 10. The class \$12 up to \$15 corresponds with the smallest frequency of 10.

44) C

The number 0.218 is found by $24/110$. Here, 110 is the total number of salespeople in the distribution (the sum of the class frequencies).

TBEXAM.COM

45) D

To plot a cumulative frequency distribution, the first point would show a frequency of zero ($Y = 0$) at the lower limit of the first class.

46) D

The figure of 30.8%, or $37/120$, is found by taking the total of the frequencies for \$1,600 or more ($24 + 9 + 4$) and dividing by the total of 120.

47) B

The class with the greatest frequency is "\$1,400 up to \$1,600." The class midpoint is the lower limit (\$1,400) plus one half of the class interval ($1/2 \times \$200 = \100) or $\$1,400 + \$100 = \$1,500$.

48) A

The class interval is \$200, found by calculating the difference between any consecutive lower or upper class limits.

49) B

The class interval is \$3, found by calculating the difference between any consecutive lower or upper class limits.

Statistical Techniques in Business and Economics Edition 19

by Lind

50) B

The class with the greatest frequency is "7 up to 10." The class midpoint is the lower limit (7) plus half of the class interval ($1/2 \times 3 = 1.5$) or $\$7 + 1.5 = \8.50 .

51) C

This class has the lowest frequency with \$6 wage earners in the class.

52) C

The answer 0.20, or $10/50$, is found by dividing 10 by the total frequency of 50.

53) B

The class interval is 10, found by calculating the difference between any consecutive lower or upper class limits.

54) D

The highest class is "60 up to 70." The class midpoint is the lower limit (60) plus half of the class interval: $(1/2) \times 10 = 5$, or $60 + 5 = 65$.

55) D

The class interval can be computed as the difference between adjacent class midpoints ($65.5 - 62.5 = 3$).

56) A

Based on the class midpoints, the class interval is 3". The lower class limit for the lowest class would be the class midpoint less one half of the class interval, or $63.5" - (\frac{1}{2} \times 3") = 62"$. By applying the class interval, the upper limit of the lowest class would be "up to 65".

57) A

Based on the class midpoints, the class interval is 3". The lower class limit for the lowest class would be the class midpoint less half of the class interval, or $62.5" - (\frac{1}{2} \times 3") = 61"$. By applying the class interval, the upper limit of the lowest class would be "up to 64".

58) C

Based on the class midpoints, the class interval is 3". The class limit for the lowest class would be the class midpoint less half of the class interval, or $67.5" - (\frac{1}{2} \times 3") = 66"$. Then, adding the class interval, the lower limit of the second class would be 69" and the lower limit of the third class would be 72". Again, applying the class interval, the upper limit of the third class would be "up to 75".

59) C

Statistical Techniques in Business and Economics Edition 19

by Lind

Based on the class midpoints, the class interval is 3". The class limit for the lowest class would be the class midpoint less half of the class interval, or $62.5'' - (\frac{1}{2} \times 3'') = 61''$. Then, adding the class interval, the lower limit of the second class would be 64" and the lower limit of the third class would be 67". Again, applying the class interval, the upper limit of the third class would be "up to 70".

60) B

The class frequency is divided by the total observations: $3/60 = 0.05$.

61) B

The class frequency is divided by the total observations: $2/50 = 0.04$.

62) B

The class midpoint is the lower limit (\$52) plus half of the class interval: $\frac{1}{2} \times 10 = 5$, or $\$52 + 5 = \57 .

63) C

The class midpoint is the lower limit (\$45) plus half of the class interval: $\frac{1}{2} \times 10 = 5$, or $\$45 + 5 = \50 .

TBEXAM.COM

64) D

This class with the highest frequency of 20 observations is "\$65 up to \$75."

65) C

The class with the highest frequency of 20 observations is "\$55 up to \$65."

66) D

From the table, there are 54 employees who were absent for 3 up to 6 days.

67) A

From the table, there are 31 employees who were absent for 3 up to 6 days.

68) A

To find the number of employees who were absent for fewer than six days, add the frequencies for the classes, "0 up to 3" days and "3 up to 6" days, or $9 + 56 = 65$.

69) C

To find the number of employees who were absent for fewer than six days, add frequencies for the classes "0 up to 3" days and "3 up to 6" days, or $60 + 31 = 91$.

Statistical Techniques in Business and Economics Edition 19

by Lind

70) A

To find the number of employees who were absent six or more days, add the frequencies for the classes, "6 up to 9" days, "9 up to 12" days, and "12 up to 15" days, or $45 + 51 + 22 = 118$.

71) C

To find the number of employees who were absent for six or more days, add frequencies for the classes "6 up to 9" days, "9 up to 12" days, and "12 up to 15" days, or $14 + 6 + 2 = 22$.

72) A

To find the number of employees who were absent for 6 up to 12 days, add the frequencies for the classes, "6 up to 9" days and "9 up to 12" days, or $9 + 20 = 29$.

73) A

To find the number of employees who were absent for "6 up to 12" days, add frequencies for the classes "6 up to 9" days and "9 up to 12" days, or $14 + 6 = 20$.

74) D

There is no class interval for data measured on an ordinal scale.

75) C

The highly satisfied class has 60 people.

TBEXAM.COM

76) C

The answer (33%) is found by dividing the frequency of the satisfied class by the total frequency, or $40/120$.

77) B

The answer (33%) is found by dividing the frequency of the satisfied class by the total frequency, or $40/120$.

78) B

Bar charts can be used to illustrate a frequency table.

79) A

Pie charts can be used to illustrate relative frequencies for an ordinal variable.

80) D

There is no class interval for data measured on an ordinal scale.

81) A

Statistical Techniques in Business and Economics Edition 19

by Lind

The very concerned class has 140 people.

82) A

The answer (15%) is found by dividing the frequency of the somewhat concerned class by the total frequency, or $40/260$.

83) C

The answer (20%) is found by dividing the frequency of the somewhat concerned class by the total frequency, or $40/200$.

84) B

Bar charts can be used to illustrate a frequency table.

85) A

Pie charts can be used to illustrate relative frequencies for an ordinal variable.

86) D

There is no class interval for data measured on an ordinal scale.

87) B

The somewhat confident class with 135 people has the greatest frequency.

88) D

The answer (29%) is found by dividing the frequency of the very confident class by the total frequency, or $87/300$.

89) B

The answer (21%) is found by dividing the frequency of the very confident class by the total frequency, or $63/300$.

90) B

Bar charts can be used to illustrate a frequency table.

91) A

Pie charts can be used to illustrate relative frequencies for an ordinal variable.

92) A

Pie charts can be used to illustrate relative frequencies for qualitative variables.

93) A

Statistical Techniques in Business and Economics Edition 19

by Lind

To convert a frequency table to a relative frequency table, each of the class frequencies is divided by the total number of observations.

94) D

To convert a frequency table to a relative frequency table, each of the class frequencies is divided by the total number of observations.

95) A

The class interval is greater than or equal to the difference between the maximum and minimum values, divided by the number of classes, k . The reason is that all classes taken together must cover at least the distance between the minimum and maximum values in a data set.

96) B

A histogram's classes represent groups of number ranges in a quantitative data set, while a bar chart's classes represent qualitative or attribute data. Histograms have bars that touch each other because the data being graphed is continuous and quantitative. The rectangles in a bar chart do not touch each other because they represent separate categories based on characteristics or attributes (i.e., qualitative variables).

97) D

TBEXAM.COM

Histograms have bars that touch each other because the data being graphed is continuous and quantitative. The heights of the bars represent class frequencies, not relative class frequencies.

98) C

Histograms have bars that touch each other because the data being graphed is continuous and quantitative. The heights of the bars represent class frequencies. Bar charts are used to display qualitative, categorical data.

99) C

Frequency polygons are a graph of a frequency distribution, so they are for quantitative data only. They consist of line segments connecting the points formed by the intersections of the class midpoints and the class frequencies. Histograms, not frequency polygons, represent each class as a rectangle.

100) D

Frequency polygons are a graph of a frequency distribution. They consist of line segments connecting the points formed by the intersections of the class midpoints and the class frequencies. This allows us to directly compare two or more frequency distributions on the same graph. By looking at the heights of the points graphed, one can see the shape of the distribution.

Statistical Techniques in Business and Economics Edition 19

by Lind

101) C

Pie charts are used for qualitative data, so they would not be appropriate for quantitative data like sales revenue. Histograms and frequency polygons would be used to display the frequencies of various classes of sales revenue earned. A cumulative frequency polygon, however, would show the cumulative relative frequency or the percent of sales revenue earned below each class.

TBEXAM.COM